

**HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER  
Fort Andres Bonifacio, Metro Manila**

**COMPASS, OLIVE DRAB (OD)  
AFP QM SPEC NR IE-22COD dtd 01 October 2016**

**VISUAL INSPECTION CHECKLIST**

PO Nr \_\_\_\_\_

Date \_\_\_\_\_


Supplier \_\_\_\_\_

Lot Size \_\_\_\_\_

\* Sample Size \_\_\_\_\_

DESCRIPTION OF DEFECTS	CLASSIFICATION OF DEFECTS
1. Packing and Packaging	
a. Contents of carton label not as specified	Minor
b. Each compass shall be folded uniformly and the exposed metal parts shall be wrapped with appropriate packaging material to avoid metal parts from being scratch.	Minor
c. Each compass shall be packed in its individual pouches	Major
d. Twenty Five (25) pieces compass shall be placed in a transparent cellophane/plastic bag and packed in a corrugated carton.	Minor
e. The top cover, when closed shall be sealed with a binding tape.	Minor
2. Not OD in color	Major
3. Any component parts missing:	
a. Lanyard	
i. Olive drab in color	Minor
ii. Ends shall be permanently joined to form a loop.	Minor
b. Carrying case	Major
c. Instruction card	Major
4. Presence of dents, corrosion, deep scratches and other visual defects:	
a. Affecting appearance.	Major
b. Does not affect appearance.	Minor

\*Note: Sample Sizes - is based on Military Standard 105E, Table III-A of General Inspection Level I Code F double sampling plan.

  
**AURELIO T. BADAÑOS**  
 Colonel, QMS (GSC) PA  
 Chief

HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER  
Fort Andres Bonifacio, Metro Manila

**COMPASS, OLIVE DRAB (OD)**  
AFP QM SPEC NR IE-22COD dtd 01 October 2016

**TEST CRITERIA**

**FOR POST-QUALIFICATION TEST:**

Destructive Testing Criteria based on Logistic Letter Directive Number SC-07-04 dtd 25 October 2007 para 5f.

TOTAL MINOR TEST POINTS	NO. OF ALLOWABLE DEFECTS	
	MAJOR	MINOR
13	0	1

1. No major defect allowed.
2. Maximum allowable minor defect is nine & 9/10 percent (9.9%) of total minor test points  
"CONDUCTED"

**FOR ACCEPTANCE TEST:**


- I. Visual Inspection Criteria based on Mil Std 105E dtd 10 May 1989
  - All defects noted in 1<sup>st</sup> and 2<sup>nd</sup> sampling are cumulative.
  - In case of rejection, destructive testing will not be conducted

Classification of Defects	TABLE III-A General Inspection Level I Code Letter H Double Sampling Plan for Normal Inspection				
	Lot size 1,201 – 3,200 pcs Sample Size: 32 pcs + 32 pcs	Number of Defects			
		1 <sup>st</sup> Sampling		2 <sup>nd</sup> Sampling	
	AQL	Accept	Reject	Accept	Reject
MAJOR	6.5	3	7	8	9
MINOR	25	11	16	26	27

- II. Destructive Testing Criteria based on Logistic Letter Directive Number SC-07-04 dtd 25 October 2007 para 5f.

TOTAL MINOR TEST POINTS	NO. OF ALLOWABLE DEFECTS	
	MAJOR	MINOR
13	0	1

1. No major defect allowed.
2. Maximum allowable minor defect is nine & 9/10 percent (9.9%) of total minor test points  
"CONDUCTED"

  
 AURELIO T BADAJOS  
 Colonel, QMS (GSC) PA  
 Chief

HEADQUARTERS  
PHILIPPINE ARMY  
OFFICE OF THE ARMY QUARTERMASTER  
Fort Andres Bonifacio, Metro Manila

COMPASS, OLIVE DRAB (OD)  
AFP QM SPEC NR IE-22COD dtd 01 October 2016

LIST OF REQUIRED PROTOTYPE SAMPLES FOR TESTING


1. **FOR POST QUALIFICATION TEST**

PROTOTYPE SAMPLES

RDC – Three (3) pcs,

2. **FOR ACCEPTANCE TEST**

Three (3) pcs compass – Picked at random from delivery

  
AURELIO T. BADAJOS  
Colonel, QMS (GSC) PA  
Chief