

HEADQUARTERS PHILIPPINE ARMY OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 2 Fort Andres Bonifacio, Taguig City

Supplemental / Bid Bulletin No. 1

ORD PABAC2-007-24 Procurement of 5,102 ea Pistol, 9mm

This Supplemental Bid Bulletin is issued to inform prospective bidders to the amendments/inclusions that shall form part of the bidding documents for the Procurement of 5,102 ea Pistol, 9mm;

Reference	Amendments		
Reference	From	То	
Section V: Special Conditions of the Contract	A. POST QUALIFICATION: The Lowest Calculated Bidder shall undergo Post-Qualification to determine whether the bidder complies with and is responsive to all the requirements and conditions as specified in the Bidding Documents. The examination involves documents validation, plant/office visit, and inspection and functional; testing of sample goods. xxx	A. POST QUALIFICATION: The Lowest Calculated Bidder shall undergo Post-Qualification to determine whether the bidder complies with and is responsive to all the requirements and conditions as specified in the Bidding Documents. The examination involves documents validation, plant/office visit and inspection, and functional testing of sample goods. Post -Qualification Testing Procedures provided in Annex 13	

	In-Country Trainings	In-Country Trainings	
	-Armorer and Maintenance Training for 15 Students from ASCOM and OACOCS	-Armorer and Maintenance Training 15 Students from ASCOM OACOCS	g fo an
	-Operators Training for 36 Students from PAMUs	-Operators Training for 36 Students from PAMUs	
Section VI:		Locations Participants	3
Schedule of Requirements		MTS, TRADOC, PA, Luzon-Based Cp O'Donell, Tarlac	d
		3DTS, 3ID, PA , Visayas-Bas Jamindan Capiz	ed
		10DTS, 10ID, PA, Mindanao- Mawab, Davao De Oro Based	
Section VIII: Checklist of Technical and Financial Documents	TAB E None	TAB E 3. Completed and signed Conformance/Statement of Compliance to Post Qualification Test Procedures (Annex 13)	
Annexes	None	Other Documents. Post-Qualification Testing Procedu Annex 13 (See attached)	ure
	In-Country Trainings	In-Country Trainings	
	-Armorer and Maintenance Training for 15 Students from ASCOM and OACOCS	-Armorer and Maintenance Training for 15 Students from ASCOM and OACOCS	
	-Operators Training for 36 Students from PAMUs	-Operators Training for 36 Students from PAMUs	
Annex 6 Schedule of		Locations Participants	S
Requirements		MTS, TRADOC, PA, Luzon-Base Cp O'Donell, Tarlac	d
		3DTS, 3ID, PA , Visayas-Bas Jamindan Capiz	sed
		10DTS, 10ID, PA, Mindanao- Mawab, Davao De Oro Based	
	None	Annex 13	
Annex 13 Conformance/Statemen		Conformance/Statement of Compliand Post Qualification Test Procedures (A	

The Supplemental/Bid Bulletin No. $\underline{\mathbf{1}}$ shall be considered an integral part of the bidding documents.

ALVIN / FLORES Brigadier General, PA

Chairperson

ARMY 2040: WORLD-CLASS, MULTI-MISSION READY, CROSS-DOMAIN CAPABLE.

PQ Test Procedures for Pistol, 9mm

ANNEX 13

HEADQUARTERS PHILIPPINE ARMY

BIDS AND AWARDS COMMITTEE 2 TECHNICAL WORKING GROUP FOR FIREARMS AND ACCESSORIES (2024)

Fort Andres Bonifacio, Taguig City

26 October 2023

POST QUALIFICATION TEST PROCEDURES FOR Pistol, 9mm

GENERAL:

- **1.1. Scope:** This Post Qualification Test Procedures shall apply to Pistol, 9mm.
- **1.2. Objective:** To ascertain compliance of sample pistol with standards and specifications in consonance with the need of the end user.
- 1.3. Reference: Technical Specifications for Pistol, 9mm TS NR ORDF03(H-01)01-22 and Technical Acceptance Procedure for Pistol, 9mm TAP NR ORDF03(H-01)01-22 dated 12 Feb 2022.

2. PROCEDURES:

2.1 TEST AND INSPECTION PARAMETERS:

2.1.1 VISUAL INSPECTION:

2.1.1.1 FOR THE PISTOL:

2.1.1.1.1 Purpose: This non-destructive test shall be performed to determine the overall workmanship, conformity to technical specifications of the pistols and to ensure that said items are in accordance with the requirements of the Philippine Army.

2.1.1.1.2 Procedures:

2.1.1.1.2.1 The sample pistols, its parts or components shall be visually inspected for its compliance to the technical data requirements.

2.1.1.1.2.2 Each sample shall be examined for presence/ evidence of defects on workmanship.

2.1.1.1.2.3 Observations shall be recorded.

2.1.1.1.3 Standard: The physical and technical features of the pistol shall be according to the PA technical specifications.

2.1.1.2 WEIGHT AND DIMENSIONAL INSPECTION:

2.1.1.2.1 Purpose: This inspection shall be performed to determine compliance of the pistols to the provided weight and dimensional requirements in the technical specifications and meet the requirements of the Philippine Army.





ARMY 2040: WORLD-CLASS. MULTI-MISSION READY. CROSS-DOMAIN CAPABLE.

PQ Test Procedures for Pistol, 9mm

2.1.1.2.2 Procedures:

2.1.1.2.2.1 The sample pistols shall be measured using a weighing scale, go and no-go gages, vernier caliper, micrometer caliper or other appropriate measuring instruments. All measuring instruments shall be calibrated for a minimum of 1-year prior date of test.

2.1.1.2.2.2 Weight and dimensions shall be recorded.

2.1.1.2.3 Standard: The weight and dimensiona measurements of the pistol shall be according to the PA technical specifications.

2.1.2 PERFORMANCE TESTS:

A series of tests shall be performed to ensure that the pistol will efficiently function and perform accordingly based on the established standards and specifications when subjected to various methods of actuation simulating handling, storage, transport and field use.

2.1.2.1. ENDURANCE TEST:

2.1.2.1.1. Purpose: This test shall be performed to determine the reliability and durability of the pistol when fired with 6,000 rounds.

2.1.2.1.2. Procedures:

2.1.2.1.2.1. The pistol shall be disassembled, cleaned, inspected, lubricated and reassembled.

2.1.2.1.2.2. A 120-round increment shall be fired at a rate of one (1) round per second. A 10-minute cooling time is allowed between increments.

2.1.2.1.2.3. Lubricate the pistol without disassembling after 600 rounds (5 increments of 120 rds) and allow to cool-down for 10 minutes. Bore swabbing is not allowed.

2.1.2.1.2.4. The weapon shall be cleaned, lubricated and visually inspected for any damage/s after every 1,200 rounds (10 increments of 120 rds) within ten (10) minutes.

2.1.2.1.2.5. Cleaning, lubricating and cooling down shall not exceed the allotted time. The use of blower or compressed air during cleaning and cooling down is not authorized.

2.1.2.1.2.6. The tests shall be repeated until 6,000 rounds of Cartridge, 9mm: Ball had been fired.

2.1.2.1.2.7. The duration of reloading during the firing cycles shall not be more than three (3) seconds.

2.1.2.1.2.8. Observations shall be recorded.

2.1.2.1.2.9. The pistol shall be subjected to laboratory test for Magnetic Particle Inspection.

2.1.2.1.3. Standards: The performance of the pistol shall be according to the PA technical specifications.

Table 1

lable		
Type of Malfunction/Failure	Number of Defects Permitted	
Trigger fails to function	0	





ARMY 2040: WORLD-CLASS, MULTI-MISSION READY, CROSS-DOMAIN CAPABLE.

PQ Test Procedures for Pistol, 9mm

Safety fails to function	0
Uncontrolled fire (Doubling)	0
Other failures from types and classification of defects – Functional Defects on Table 5	4 (Note 1)

Table 2

Type of Unserviceable parts	Number of Defects Permitted
Receiver broken or cracked	0
Slide broken or cracked	0
Barrel broken or cracked	0
Other unserviceable parts from types and classification of defects — Functional Defects on Table 5	4 (Note 2)

2.1.2.2. ACCURACY TEST:

2.1.2.2.1. Purpose: This test shall be performed to determine the accuracy of the pistol.

2.1.2.2.2. Procedures:

2.1.2.2.2.1.

Firing of not more than five (5) warm-up shots

shall be allowed.

2.1.2.2.2. Fire ten (10) rounds of ammunition to a target located at a distance of 25 meters from the muzzle of the weapon.

2.1.2.2.2.3.

The target shall be checked.

2.1.2.2.2.4.

Observations shall be recorded.

2.1.2.2.3. Standards:

2.1.2.2.3.1. The performance of the pistol shall be according to the PA technical the specifications.

3. ALLOCATION OF SAMPLES:

TYPE OF INSPECTION/ TEST	NR OF SAMPLE
A. Endurance Test	1 mintal
B. Accuracy Test	1 pistol

4. COMPLIANCE TO TECHNICAL SPECIFICATIONS: Refer to PA Technical Specifications (TS NR: ORDF03(H-01)01-22) for Combat Reflex Sight (Red Dot) dated 12 Feb 2022.

5. CRITERIA:

The result of the inspection and tests conducted based on the above test parameters shall be the basis for the evaluation of the Post Qualification Inspection team in coming up with the Post Qualification Report and subsequent recommendation to the Chairman of the Bids and Awards Committee.

In the event that PQ testing is not feasible, the supplier/manufacturer shall submit Test Results within the last two (2) years reckon to the date of the PQ.





ARMY 2040: WORLD-CLASS, MULTI-MISSION READY, CROSS-DOMAIN CAPABLE.

PQ Test Procedures for Pistol, 9mm

PREPARED BY:

KEEVENES A APAYOR

MAJ (OS)

PA

Technical Member

ROXANNE R SANTOS MAJ (OS) PA

Technical Member

EUGENICE IVY GWYNN U BAUTISTA

CPT

JAGS

PA

Alternate Legal Officer

MARVIN P AQUINO

MAJ (ARM)

Financial Analyst

AXEL R REONAL CPT (OS) PA

End-User Rep

APPROVED BY:

JERRY M MAYONILA

LTC GSC (OS) PA

Chairperson