

H E A D Q U A R T E R S ARMED FORCES OF THE PHILIPPINES BIDS AND AWARDS COMMITTEE OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 1 Fort Andres Bonifacio, Metro Manila

BIDDING DOCUMENTS

for the

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole

QM PABAC1 030-24

ABC: Php14,291,900.00

Table of Contents

Gloss	ary of Acronyms, Terms, and Abbreviations	2
Sectio	on I. Invitation to Bid	5
Sectio	on II. Instructions to Bidders	8
1.	Scope of Bid	
2.	Funding Information	8
3.	Bidding Requirements	
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	8
5.	Eligible Bidders	8
6.	Origin of Goods	9
7.	Subcontracts	9
8.	Pre-Bid Conference	9
9.	Clarification and Amendment of Bidding Documents	9
10.	Documents comprising the Bid: Eligibility and Technical Components	10
11.	Documents comprising the Bid: Financial Component	10
12.	Bid Prices	10
13.	Bid and Payment Currencies	11
14.	Bid Security	11
15.	Sealing and Marking of Bids	11
16.	Deadline for Submission of Bids	12
17.	Opening and Preliminary Examination of Bids	12
18.	Domestic Preference	12
19.	Detailed Evaluation and Comparison of Bids	12
20.	Post-Qualification	13
21.	Signing of the Contract	13
Sectio	on III. Bid Data Sheet	14
Sectio	on IV. General Conditions of Contract	18
1.	Scope of Contract	18
2.	Advance Payment and Terms of Payment	18
3.	Performance Security	18
4.	Inspection and Tests	18
5.	Warranty	19
6.	Liability of the Supplier	19
Sectio	on V. Special Conditions of Contract	20
	on VI. Schedule of Requirements	
	on VII. Technical Specifications	
	on VIII. Checklist of Technical and Financial Documents	
	rii y iiio vaitetiinte vii iletiiiiteli milli i illallelal ijvelliitella isaaaaaa	

Glossary of Acronyms, Terms, and Abbreviations

ABC –Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*.(2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentralng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

DTI – Department of Trade and Industry.

EXW - Ex works.

FCA – "Free Carrier" shipping point.

FOB – "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project—Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC -Government-owned and/or -controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB –Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

H E A D Q U A R T E R S
ARMED FORCES OF THE PHILIPPINES BIDS AND AWARDS COMMITTEE
OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 1
Fort Andres Bonifacio, Metro Manila

INVITATION TO BID FOR THE PROCUREMENT OF 8,407 PAIRS SHOES, DRESS, LOW CUT, RUBBER SOLE

- 1. The Philippine Army, through the Philippine Army Appropriation CY 2024 with OG10 Certification dated 15 August 2023 valid until 31 December 2024, intends to apply the sum of Fourteen Million Two Hundred Ninety-One Thousand Nine Hundred Pesos (Php14,291,900.00) being the ABC to payments under the contract for the Procurement of 19,430 pairs Army Combat Boots, Suede, Field Use under QM PABAC1 030-24. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The Philippine Army now invites bids for the above Procurement Project. Delivery of the Goods is required Ninety (90) calendar days from the receipt of Notice to Proceed (NTP) by the supplier, which date shall not be later than seven (7) days from the issuance of NTP. Bidders should have completed, within five (5) years from the date of submission and receipt of bids, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

Bidding is open only to all local shoe manufacturers as prescribed under RA No. 9290 and its IRR and further subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

- 4. Prospective Bidders may obtain further information from the Philippine Army and inspect the Bidding Documents at the address given below office hours (8:00AM to 4:00PM) on weekdays only (except holidays).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on from the given address and website(s) below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB in the amount of Twenty-Five Thousand Pesos (PhP25,000.00). The Procuring Entity shall allow the bidder to present its proof of payment for the fees in person, by facsimile, or through electronic means.
- 6. The Philippine Army through PABAC1 will hold a Pre-Bid Conference on the time and date as specified below at the Office of the PABAC1, Fort Andres Bonifacio, Taguig,

City and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders. Only One (1) representative per bidder will be accommodated on the venue. Other representatives will attend through VTC. Zoom link will be provided one hour before the start of the PRE-BID Conference

- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below, on or before the date of submission. Late bids shall not be accepted.
- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be on the date as specified below and at the given address below and/or through video conferencing or webcasting. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

The schedule of the bidding activities shall be as follows:

ACTIVITIES	TIME and DATE	VENUE
1. Sale and Issuance of Bidding Documents	8:00AM to 4:00PM Mondays to Fridays only starting on	Office of the PABAC1,
2. Pre-Bid Conference	05 October 2023	Fort Andres
3. Submission of Bids	On or before 18 1:30PM October 2023	Bonifacio, Taguig City
4. Opening of Bids	18 1:30PM October 2023 onwards	

10. The Philippine Army reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

Tie breaking method shall be non-discretionary and non-discriminatory. The same shall be based on sheer luck or chance (Toss Coin) and in chronological order based on the submission of bids.

11. For further information, please refer to:

Office of the PA Bids and Awards Committee 1

Fort Andres Bonifacio, Taguig City

BGEN ANTONIO C ROTA JR PA

PABAC1 Chairperson

Contact Nr. +63999-321-1164/+63977-488-0012

Telephone Nr. 845-9555 local 6891 Email address: pabacsec@gmail.com

12. You may visit the following websites:

For downloading of Bidding Documents:

- philgeps.gov.ph
- army.mil.ph

D / C'	
Date of issue:	

BGEN ANTONIO C ROTA JR PA

PABAC1 Chairperson

Section II. Instructions to Bidders

1. Scope of Bid

The Procuring Entity, Philippine Army wishes to receive Bids for the **Procurement of 8,407 pairs Shoes, Dress, Low Cut, Rubber Sole under QM PABAC1 030-24.**

The Procurement Project (referred to herein as "Project") is composed of **one lot**, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2023 in the amount of Fourteen Million Two Hundred Ninety-One Thousand Nine Hundred Pesos (Php14,291,900.00).
 - 2.2. The source of funding is: National Expenditure Program CY 2024.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least twenty-five percent (25%) of the ABC (Expendable Supplies)
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

7.1. The Procuring Entity has prescribed that: Subcontracting is not allowed.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII** (Checklist of Technical and Financial **Documents**).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII** (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in e.

b. For Goods offered from abroad:

- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
- ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.

13.2. Payment of the contract price shall be made in: **Philippine Pesos.**

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid within one hundred twenty (120) calendar days from the date of the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "passed," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII** (**Technical Specifications**), although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as follows:

One Project having several items that shall be awarded as one contract.

19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Bid Data Sheet

ITB Clause	
5.3	For this purpose, contracts similar to the Project shall be:
	a. Supply and Delivery of Military Shoes, Rubber Shoes, Boots or other types of footwear; and
	b. Completed within five (5) years prior to the deadline for the submission and receipt of bids.
7.1	No portion of the contract or project shall be sub-contracted.
10	For foreign bidders, the equivalent document/s issued by the appropriate authority in the country of origin of the bidder concerned must be presented. If said document has no appropriate equivalent, a Certificate of Inexistence of Appropriate Foreign Equivalent may be submitted.
	The local representative of Foreign Bidders shall also submit PhilGEPS Certificate of Registration (Platinum Membership), or a Valid and Current Proof of Authority issued by the foreign bidder (in case the authorized local representative is an individual).
	In case of a Joint Venture, each JV partner shall submit the required Legal Documents.
12.1	The price of the Goods shall be quoted DDP at GS Warehouse, 1LSG, Army Support Command, PA, Camp General Servillano Aquino, San Miguel, Tarlac City in the applicable International Commercial Terms (INCOTERMS) for this Project. (Locally Manufactured = No INCOTERMS;
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:
	a. The amount of not less than Php285,838.00 [two percent (2%) of the ABC], if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or
	b. The amount of not less than Php714,595.00 [five percent (5%) of the ABC], if bid security is in Surety Bond.
	Note: The bid security shall be payable to the Procuring Entity, however, if it is in the form of a manager's check, it shall be payable to the Collecting Officer, Finance Center, PA.

15	Each Bidder shall submit one (1) original and two (2) photocopies of the fir and second components of its bid with proper tabbing. Note: Unsealed and unsigned Bid Envelope and failure to submit the require original copy shall be grounds for disqualification											
19.3	The Project shall	be awarde	d as one	contract.								
	Description Shoes, Dress, Low Cut, Rubbe Sole		Unit pairs	1,700.00	14,291,90		End User G1, PA					
20.2	Post-Qualification	n Requiren	nents:	J			1					
		ional Post (Le	gal Basis					
	A Exchange Department propriets Authorite	tion Certification Certificati	2016 Revised IRR of RA No 9184									
	B Permit i	equivalent document Current and valid Mayor's Permit or Business Permit issued by the local government where the principal place of business of the bidder is located 2016 Revised IR of RA No 9184										
	C Tax Cle	Tax Clearance Certificate per Executive Order 398, Series of 2005										
	D Paymen business	Latest Income and Business Tax Returns filed and paid through the BIR Electronic Filing and Payment System (eFPS). The latest income and business tax returns are those within the last six (6) months preceding the date of bid submission.										
	Latest A among of current a if manu generat E email to issued b duly acc the precedent to the precedent is the precedent to t	Latest Audited Financial Statement showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" if manually filed or "attachment of system generated Transaction Reference Number and email to the system user" if electronically filed issued by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.										
	Prototyp testing; PA)/Not F PA/PITO Certifica on the i	oe samples OR PQ T ice of Po	est Res st Qua as "Po Accepta oid for;	ult (RDC, lification st Qualiform Qualiform CR LCRE	ASCOM, issued by ied"; OR PA-TIAC	Protot an Ma Testin Dres	of Required ype Samples d Swatch terials for ag for Shoes s, Low Cut, er Sole under					

	reckoned from the date of submission and opening of bid envelopes.	QM SPEC NR IC- 21SDRS dtd 15 Sept 2015
G	Certificate from AFPPS that the bidder is not Blacklisted and has no overdue delivery if not submitted during bid opening	2016 Revised IRR of RA No 9184
Н	Certificate of Notarial Commission of the lawyer who notarized the documents submitted by the bidder or certificate from the office of the executive judge/ office of the clerk of court certifying that the notary public is appointed or commissioned for a specific period.	2016 Revised IRR of RA No 9184
I	Supporting documents for the Ongoing Government/Private Contracts and the Single Largest Completed Contract: 1. Notice of Award, AND/OR Notice to Proceed, AND/OR Purchase Orders AND/OR Contracts for all Ongoing Contracts as listed per submitted Annex 1; 2. Notice of Award, Notice to Proceed, Purchase Orders OR Contracts relative to Single Largest Completed Contract per submitted Annex 2 3. Certificate of Completion OR Technical Inspection and Acceptance Committee (TIAC) Report OR Official Receipt (duplicate or triplicate copy) OR Sales Invoice with Collection Receipt (duplicate or triplicate copy) OR End-User's Acceptance relative to the Single Largest Completed Contract per submitted Annex 2	2016 Revised IRR of RA No 9184
J	Company Profile (Organization, Affiliated Companies, Production Capability)	
K	Vicinity map/location of the business	

FOR FOREIGN MANUFACTURER/BIDDER:

The equivalent to the above-enumerated Class "A" documents issued by country or place of business, in English shall be submitted. If not in English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, all said documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019.

The English translation shall govern, for purposes of interpretation of the bid; AND

Note: For the Local representative of the foreign bidder: It must likewise submit and present **Registration Certificate** from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives; and, its Valid and current **Mayor's/Business permit** issued by the local government where the principal place of business of the bidder is located.

In case of Joint Venture (both local and foreign manufacturers), both partners must present/submit the above documents.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).**

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the SCC, Section IV (Technical Specifications) shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract Special Conditions of Contract

	Special Conditions of Contract
GCC Clause	
1	Delivery and Documents –
	For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods supplied from abroad: "The delivery terms applicable to the Contract is DDP delivered at GS Warehouse, 1LSG, Army Support Command, PA, Camp General Servillano Aquino, San Miguel, Tarlac City in accordance with INCOTERMS."
	For Goods supplied from within the Philippines: "The delivery terms applicable to this Contract is DDP delivered at GS Warehouse, 1LSG, Army Support Command, PA, Camp General Servillano Aquino, San Miguel, Tarlac City. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is: PA TIAC, APAO, OG10.
	Incidental Services –(if applicable)
	The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	 a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and

e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.

Packaging –(if applicable)

The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.

The outer packaging must be clearly marked as specified in Section 5. Packaging and Packing of the Technical Specification for this Project.

A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.

Transportation –

Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.

Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.

Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment, the period of delay will be considered force majeure.

The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers, risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.

Intellectual Property Rights -

The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.

Payment shall be made by **Check for local Supplier**, or through **irrevocable Letter of Credit (LC) in case of foreign supplier/manufacturer**.

In case payment shall be made by LC, the Procuring Entity shall open the irrevocable LC in favor of the Supplier in accordance with the terms provided below in an Authorized Government Depository Bank after the approval of the Contract by the HOPE and cash transfer from the PA to the Authorized Government Depository Bank, to wit:

- a. Mode of Transmission: Full cable telex/S.W.I.F.T;
- b. Advising and/or Confirmation: LC may be advised and/or confirmed by any bank to be identified by the Supplier, at the latter's sole expense;
- c. Payee Bank: The LC draft (if any) shall be drawn on the confirming bank;
- d. Beneficiary: [Insert name and address of Supplier with Point of Contact];
- e. Currency and Amount of LC: LC shall be in Philippine Peso, in an amount equivalent to the Total Contract Price. The 95% of the amount of LC shall be released upon completion of all the required documents enumerated in SCC Clause 2.2 (f) of the Bidding Documents and the 5% shall be released upon expiration of the

warranty period provided in SCC Clause 5.1 in the Bidding Documents:

- f. Expiration Date: One Hundred Twenty (120) calendar days from issue date of the L/C
- g. The terms of payment shall be as follows: "One Time Payment" be made to the supplier at the time of final acceptance of the goods by the Procuring Entity in accordance with Section VI. Schedule of Requirements, and the submission or presentation of the following documents:
 - i. Supplier's invoice showing Goods' description, quantity, unit price, and total amount;
 - ii. Negotiable, clean shipped on-board Bill of Lading marked "Freight Pre-Paid" and/or "Non-Negotiable Bill of Lading" or "Airway Bill";
 - iii. Original Supplier's factory inspection report or certificate of pre-delivery test and inspection report by PA TIAC (as applicable);
 - iv. Manufacturer's and/or Supplier's warranty certificate;
 - v. Certificate of Origin (for imported GOODS);
 - vi. Delivery Receipt detailing number and description of items received signed by the Procuring Entity's representative at the Delivery Site;
 - vii. Certificate of Acceptance by the PA Technical Inspection and Acceptance Committee (PA TIAC).
- If the Performance Security is in the form of a Surety Bond, it must be in the name of the Philippine Army/AFP, and its validity must be until the issuance by the Procuring Entity of the Certificate of Final Acceptance. The Surety Bond must be duly notarized and signed by the Supplier's authorized representative indicating therein his/her full name.
- The inspections and tests that will be conducted are:
 - a. **Post-Qualification** involving documents validation, testing and/or manufacturer's plant visit and inspection shall be conducted by the Procuring Entity or its designated representatives (PQ Team) in order to determine the compliance to the requirements of the end-user as required in the bidding documents. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity.

Submitted prototype/finished samples and swatches duly tested and evaluated as compliant/passed shall be the property and proper disposition of the Procuring Entity while those that were tested and evaluated as non-compliant or Post Disqualified can be retrieved by the Bidder, through an official letter request addressed to PABAC1 (Attn: Chairman, TWG), within three (3) months upon receipt of notice from PABAC1 that such Bidder was Post-Disqualified on said project, otherwise, subject prototype/finished

samples and swatches shall be the property and proper disposition of the Procuring Entity.

All cost related to the testing, including the samples for random testing, shall be for the account of the bidder/supplier.

b. **Pre-Production/In-Process Production Inspection:**

- 1) Pre-Production Inspection shall be conducted any time after receipt of NTP at the Manufacturer's facility to ensure the quality of the fabric in accordance with the approved Post Qualification Sample submitted.
- 2) There will be a maximum of three (3) members of the Inspection Team.
- 3) During In-Process Inspection, the inspection team will conduct the physical inspection at the Manufacturer's facility.
- 4) Supplier shall ensure that the raw materials (basic material) to be used in the production of the items are available for inspection.
- 5) All costs relative to the Pre-Production/In-Process Inspection including travel, board and lodging, and related expenses shall be for the account of the supplier.

Type of Inspection	Frequency	Purpose				
Pre- Production	Every arrival of the raw materials per submitted Production Plan by the Supplier. The Supplier will notify Philippine Army for inspection within seven (7) calendar days before arrival of the raw materials.	Visual inspection of the arrival of the raw materials at the Manufacturer's facility to ensure the quality of the materials in accordance with the approved Post Qualification Sample submitted.				
In-Process	Per submitted Production Plan	The Inspection team will conduct the physical inspection at the Manufacturer's facility.				

c. All Items/Goods shall be subjected to pre-shipment inspection (PSI) and test by the PA-TIAC. The PSI shall be conducted prior to the expiry of the required delivery period. Appropriate penalties for the delay shall be imposed, as applicable.

Notes:

- 1) Pre-shipment inspection of the items to be conducted by Philippine Army Inspection Team.
- 2) Supplier/Contractor shall notify the Procuring Entity once the items for delivery/shipment is ready for inspection by the PA-TIAC.

- 3) All incidental and related expenses relative to inspection particularly travel, board and lodging expenses shall be for the account of the supplier. The samples shall be over and above the quantity to be delivered.
- 4) The PSI shall be conducted in accordance with the prescribed PA Test and Acceptance Procedures.
- 5) All cost related to the testing, including the samples for random testing, shall be for the account of the bidder/supplier.
- 6) Item/s subject for destructive testing shall be included during delivery, but shall not be counted as part of the quantity being delivered.

d. **Final Inspection and Acceptance** at the Delivery Site.

- i. Completeness and appropriateness of the delivered goods shall be conducted by the Procuring Entity's representative (PATIAC) at the delivery site. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity.
 - 1) Certificate of Final Acceptance by the TIAC
 - 2) Inspection and Acceptance Report by GS, PAO, PA or its FPAO in the delivery site.
- ii. Non-Acceptance of Items In case items are rejected, Philippine Army Technical Inspection and Acceptance Committee (PATIAC) shall issue Certificate of Non-Acceptance on the cause of non-compliance of the item. A corresponding Notice of Non-Acceptance shall then be issued by Philippine Army Procurement Center (PAPC) to the supplier further advising that the period for replacement of defective item is within thirty (30) calendar days from receipt thereof.

Once the allowable period of replacement exceeds, the contract shall be terminated. Supplier shall be subjected to blacklisting due to termination for default.

The warranty shall be covered by, either retention money in an amount equivalent to five percent (5%) of every progress payment, or a special bank guarantee equivalent to five percent (5%) of the Contract Price in favor of the Armed Forces of the Philippines. The Obligation for the warranty shall only be released after the lapse of the warranty period.

The warranty period shall be **six** (6) **months** after acceptance by the Procuring Entity of the delivered Goods.

The goods to be delivered must have been manufactured not more than **six** (6) **months** from the date of delivery.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Description	Quantity	Delivery Period	Delivery Place
Shoes, Dress, Low Cut, Rubber Sole	8,407 pairs	Full Delivery within Ninety (90) Calendar Days upon Receipt of NTP	GS Warehouse, 1LSG, Army Support Command, PA, Camp General Servillano Aquino, San Miguel, Tarlac City

Section VII. Technical Specifications

GENERAL HEADQUARTERS
ARMED FORCES OF THE PHILIPPINES
OFFICE OF THE QUARTERMASTER GENERAL.
Camp General Emilio Aguinaldo
Quazon City

AFP SPECIFICATION

QM SPEC NR IC-21SDRS

Supersedes QM SPEC NR IC-215DRS 18 October 2012

SHOES, DRESS, LOW CUT, RUBBER SOLE

GENERAL

- 1.1 Scope This specification covers one type of Shoes, Dress, Low Cut, Rubber Sole for use of military personnel of the Armed Forces of the Philippines.
- 1.2 Grade The finished Shoes, Dress, Low Cut, Rubber Sole shall be of the quality and grade of product prescribed by this specification.
- 1.3 Sizes The sizes of the finished Shoes, Dress, Low Cut, Rubber Sole shall be as specified in TABLE 1 below.

TABLE 1

Size	5	5 10	6	610	,	710		8 10		910	10	1010	11	1110	12	12 10
-0466	- 0	12 5-6	1.14	37,750		1.00	-		-	2.14			-		_	

2. REQUIREMENTS

2.1 First Article - One (1) pair sample of Shoes, Dress, Low Cut, Rubber Sole shall be submitted to the Office of The Quartermaster General, AFP or equivalent office in the Major Services for first article inspection in accordance with para 3.1

2.2 Materials

2.2.1 Upper Leather – The upper shall be made of wet-look or glossy synthetic leather, black in color and conforming with the following requirements:

Thickness, mm - - 1.6 ± 0.1

Weight, g/m² - - 600 (maximum)

Tesing Strength, kg - 5 (minimum)

Breaking Strength, kg - (20mm W x 100mm L)

Direction A - - 14 (minimum)

Oirection B - - 20 (minimum)

Page 1 of 11 pages

QM SHEC NR IC-21SDRS

2.2.2 Vamp, Quarter and Tongue Lining - The vamp, quarter and tongue lining shall be non-woven nylon or polyester fabric with terminated foam, gray or black in color having a thickness of 3.3 – 3.7 mm.

2.2.3 Sole

2.2.3.1 Outsole - The outsole shall be hard rubber, black in color, having the following characteristics:

Abrasion Resistance - The loss in weight due to abrasion resistance shall not be more than 150.0 millionaris

Flexing Resistance - The outside shall not show sign of cracks or splits after a minimum of

| 500,000 flexes | Sond Strength, kg | - 35 (minimum) | Hardness (Durometer) | 70 ± 5 | 10 ± 2

2.2.3.2 Insole - The insole shall be cut from chrome split leather having a thickness of 2.0 ± 0.2 mm. Fiberboard material is also acceptable and shall conform with the following requirements:

Thickness, mm - 2.0 ± 0.2

Weight, kg/m² - 1.1 (maximum)

Breaking Strength, kg
(Grab Method)

2.2.3.3 Reverse Welt - Reverse Welt shall be made of rubber material 1 cm - 2 cm wide. The welts are attached via different ways depending on the bottom construction process used.

2.2.3.3.1 Goodyear Welt Process - A sufficient length of the reverse welt shell be sewed to the plyrib to hold the upper and insole troutless.

2.2.3.3.2 McKay Stitching Process - The welt is attached to the upper with adhesive and stitched to the insole.

2.2.3.3.3 Cold Cement Process and Combination Process - The "decorative" welt is integrated into the outsole heel.

Page 2 of 11 pages

QM 5-EC NR IC-21SDRS

2.2.4 Counter - The counter shall be out from fiberboard or impregnated material, and shall conform with the following requirements:

Thickness (mm) - - - 1.8 - 2.0

Density(g/ml) - - - 0.6 - 1.0

Tensile Strength, kg/2.54 cm - 85 (minimum)

Weight, g/m'

Fiberboard - - 1,700 (maximum)

Impregnated Material - 1,300 (maximum)

Water Absorption, % (24 hours) - 50 (maximum)

- 2.2.5 The tongue shall be of the same material and characteristics as specified in para 2.2.1.
- 2.2.6 Heel The heel shall be made of rubber, 16 20 mm thick, black whole heel with appropriate number of holes securely nailed to the sole.
- 2.2.7 Eyelet Stay The eyelet stay shall be of the same material as the quarter with a width of not less than 2.9 cm.

2.2.8 Thread

- 2.2.8.1 Thread, Upper Fitting The thread for all upper fitting operations shall be nylon or polyester, black in color with a breaking strength of 2 kgs (minimum).
- 2.2.8.2 Running Thread The running thread for stitching the welt, and the sole shall be riylon or polyester, 3 ply (minimum), black in color and having a breaking strength of 10 kgs (minimum).
- 2.2.8.3 Inseam (Goodyear Welt Process) The thread for stitching the welt and the upper ply rib shall be riylon or polyester, 3 ply (minimum) with a breaking strength of 10 kgs (minimum).
- 2.2.8.4 Double Thread The thread for double stitching of the upper shall be nylon or polyester, black in color, 2 ply (minimum), 300 denier (minimum) and have a breaking strength of 2 kgs (minimum).
- 2.2.9 Box Toes The box toes shall be cut from an impregnated material with a thickness of 1.1 mm to 1.5 mm. The box toes shall be of suitable shape and size to engage the insole around its radius after lasting and shall be skived 1.4 mm to 1.5 mm at the breast edge.
- 2.2.10 Pfyrib The plyrib shall be made from fiberboard material 6 mm to 8 mm wide, 2mm (minimum) thick and with sufficient length to extend around the insole for welt attachment. It shall be wrapped by glued cotton cloth leaving an open space of 3 mm to 4mm on the fiberboard for welt attachment.
- 2.2.11 Steel Shank Shall be heavy steel, two prongs/riveted, gauge 18 to 20, 2.5 cm ± 0.1 cm wide by 10.0 cm ± 0.2 cm long. The shank shall be double ribbed and properly placed in the planter arch surface of the inner sole.

Page 3 of 11 pages

QM SHEC NR IC-21SDRS

- 2.2.11.2 Heel Nails The heel nails shall be steel, cut or wire type with a length of 2.2 - 2.8 cm and a diameter of 1.9 ± 0.1 mm. There shall be 8 to 11 heel nails evenly spaced from each other, as illustrated.
- 2.2.11.3 Bottom Filler (Goodyear Welt Process) The bottom filler shall be rubberized foam coated with adhesive and firmly pressed into the insole to even out the bottom surface of the shoe.
- 2.2.11.4 Eyelets The eyelets shall be blind, plain type and made of aluminum with a diameter of 2.0 mm to 3.5 mm and a thickness of 0.5 mm (minimum) after fabrication.
- 2.2.11.5 Laces The laces shall be braided nylon, polyester or clefin cord with plastic reinforced tips. The laces shall have a minimum length of 70 cm, 2 mm (minimum) in diameter with a minimum breaking strength of 50 kgs. The laces shall have plastic tips that are securely clinched at the ends of the laces to prevent the strands from spreading.
- 2.2.11.6 Sock Lining The sock lining shall be made of Ethylene Vinyl Acetale (EVA) material laminated with nylon or polyester fabric, gray in color and a thickness of 3 mm (minimum).
- 2.2.10.7 Reinforcing Tapes The tapes for reinforcing the back seam of the quarter shall be adhesive fiber not less than 1.6 cm wide and having a maximum thickness of 0.30 mm.

2.3 Construction

- 2.3.1 Cutting Uppers The uppers shall be cut from synthetic leather as specified in para 2.1.1. The cut uppers shall be match-marked in pairs and weight, free from services defects that may affect quality and conform to the specified thickness.
- 2.3.2 Crimping The vamp shall be a may be crimped, if necessary, to ensure tight lasting. If crimped, they shall be placed accurately on the crimping blade one pair at a time and the machine plates shall be properly heated and placed under carefully adjusted pressure.
- 2.3.3 Upper-Fitting The uppers shall be stitched with 4 stitches per centimeter, except that the back seam shall closed with a minimum of 4 stitches. The vamp line edge of the quarter shall be burnished of 0.16 mm. The quarters shall be marked for eyelet row stitching, and stitched with double row spaced 0.16 cm ± 0.08 cm apart. Back seam shall be rubbed down and reinforced with back seam tapex extending beyond the dog ear at least 0.6 cm, the back seam tape to be stitched through the quarters with one two of stitching on edges. The dog ear of the outside quarters shall be lapped over the top of the inside quarter stitched with one row. The top and front edge of the quarters stitched shall be comented with an adhesive and carefully and evenly folded, part to measure 0.48 cm in width.

Page 4 of 11 pages

\

AFP SPECIFICATION

OM SPEC NR IC-21SDRS

2.3.9.1 Inseam Trimming - The inseam shall be carefully and closely trimmed from butt of the welt to the butt of the middle sole without cutting or damaging stitches. The ends of the middle sole shall be skived with a 1.6 cm ± 0.6 cm level and the butts tacked.

2.3.9.2 Shank Fitting and Bottom Filling — The shank shall be carefully selected for the correct sizes. The shanks shall be inserted in position with the fiberboard cover filling the cavity between edges of the vamp and quarter from the ball line rearward to the back of the heel seat. The forward end of the shank shall be flushed with the insole and fit the contour of the shoe bottom back of the ball line and attached to the tacks or staples, one at each side of the steel piece at the rear end of the cover. The bottom filler shall be applied and firmly pressed into the insole channels around the toe, extending to the forward end of the shank with a uniform and even surface. The bottom shall present a firm flat, smooth surface for sole laying. Any cavities between the shanks cover and the insole rib at the heel portion shall be filled with the bottom filler.

2.4 Workmanship

- 2.4.1 Design The Shoes, Dress, Rubber Sole shall be of the design essentially the same as shown in the attached illustration.
- 2.4.2 Contractor's Label Each dress shoes shall have a contractor's label imprinted or stenciled on a cloth with indelible ink or by dry heat transfer process of equal fastness. The imprint of the marking shall be in block type of lettering. The label shall be sewed on all four sides not more than 3mm from edges. The sides may be turned in. The stitching shall not go through the printing.
- 2.4.2.1 Contents of Label The contractor's label shall be sewed on the inside portion and top center of the tongue consisting of the following:

SHOES, DRESS, LOW CUT, RUBBER SOLE
QM SPEC NR _____
(Name of Contractor)
Size: _____
Lot No.

- 2.4.2.2 Size and Type of Letterings The size of the label shall be 4.5 cm ± 0.5 cm in length and 2.5 ± 0.5 cm in width. The letters of the nomenclature shall be not less than 1 mm in height.
- 2.4.3 Finish The finished Shoes, Dress, Rubber Sole shall be clean, well finished and free from any defect or blemishes which may affect its appearance or serviceability. Overall workmanship shall be best known to the trade. Poor quality of sewing and workmanship shall be sufficient ground for rejection of the finished article.

Page 6 of 11 pages

QM 5r/EC NR IC-21SDRS

3. VERIFICATION

3.1 First Article Inspection - The samples of the shoes, dress, low cut, rubber sole submitted in para 2.1 shall be subjected to first article inspection and for approval as against the bid sample. The samples shall be subjected to tests and examination to verify if the requirements in para 2.2 through 2.4 are satisfied with reference to the attached test parameters and classification of defects of this document.

3.2 Sampling

- 3.2.1 Samples of materials, components and other items entering into the manufacture of the shoes, dress, low cut, rubber sole shall be taken at random from time to time by AFP inspectors for purposes of examination and test to determine compliance with the requirements of this specification.
- 3.2.2 Preproduction Sample Before actual production starts, the contractor/manufacturer shall submit one (1) finished sample of shoes, dress, low cut, rubber sole to RDC, ASCOM, PA for verification whether the quality of the materials used conformed with the requirements of this specification and one (1) finished shoes, dress, low cut, rubber sole to the Office of The Quartermaster General, AFP or equivalent office in the major services for approval as to workmanship, style and finish.

4. QUALITY ASSURANCE PROVISIONS

- 4.1 Responsibility for Inspection Unless otherwise specified in the contract or purchase order, the contractor is responsible for the performance of all inspection requirements as specified herein. Except as otherwise specified in the contract or purchase order, the contractor may use his own or any other facilities suitable for the performance of the inspection requirement specified herein, unless disapproved by the Government. The Government reserves the right to perform any of the inspection set forth in this document where such inspections are deemed necessary to assure supplies and services conform to prescribed requirements.
- 4.2 Responsibility for Compliance all items must meet all requirements of sections 2 and 3. The inspection set forth in this document shall become a part of the contractor's overall inspection system or quality program. The absence of any inspection requirements in the document shall not relieve the contractor of the responsibility of assuring that all products or supplies submitted to the Government for acceptance comply with all requirements of the contract. Sampling in quality conformance does not authorize submission of known defective material, either indicated or actual nor does it commit the Government to acceptance of defective material.
- 4.3 Responsibility for dimensional Requirements Unless otherwise specified in the contract or purchase order, the contractor shall be responsible for assuring that all specified dimensions have been met. When dimensions cannot be examined on the end iteminspection shall be made at any point or at all points in the manufacturing process necessary to assure compliance with all dimensional requirements.

Page 7 of 11 pages.

OM SHEC NR IC-21SDRS

- 2.3.4 Quarter Lining and Top Stitching The quarter linings shall be closed with one row of stitching and shall be rubbed. The eyelets as specified in 2.2.16 shall securely adhere to the quarter linings. The assembled linings shall be top stitched to the quarters with two close rows of stitching, both of which shall pass through the quarter lining.
- 2.3.5 Tongue Fitting The tongue lining shall be placed with an equal spacing around the edge of the tongue and uniformly stitched with one row of stitching. The tongue shall then be placed between the vamp and vamp lining and stitched with two rows of stitching, spaced 0.32cm from center to throat.
- 2.3.5 Eyeleting On each quarter, there shall five (5) invisible eyelets securely and smoothly clinched. The eyelets shall be 0.8 cm ± 0.16cm from the edge of the quarter to the nearest edge of the eyelet, and special evenly from the blucher nose to the top of the quarter.
- 2.3.7 Lacing for Lasting The machine lacing for lasting shall provide a 1.43 cm + 0.16 cm opening after lasting. The quarter shall be laced in the four eyelets.
- 2.3.8 Lasting The lasts, insole counters and box toes shall be properly assembled with the size and width of the uppers. The shoes shall not be dipped into water. The method of mulling the upper is optional. Insoles of the correct size and width shall be tacked to the last with not less than five (5) tacks; one in each conter of the heel seet, one at the shank, one on each side of the ball and one at the toe. The tacks shall not be larger than 1.3 cm long. Care shall be taken that the edges of the insole are flushed with the last at all points. The heel seat of the insole shall be smooth and even with the heel seat of the least. A light coating of adhesive as specified in 2.2.11 shall be brushed between the vamp doubles and the vamp lining at the inside shank of each shoe. The counters shall be assembled in accordance with their sizes well cemented before insertion.
- 2.3.8.2 Vamp Length The vamp length is measured from the point midway between blucher noses to featherline at tips, by means of a flexible tape.
- 2.3.8.1 The size of the box toe as specified in 2.2.8 shall be properly conditioned and inserted between the vamp doubles and the vamp lining. The upper shall be assembled to the last to provide a wiped-in heel seat of 1.3 cm to 1.4 cm and drawn over the last with a strong tension on the pulling over machine, to assure that the quarters at the blucher nose are even. The side of the shoes shall be spindled, drawing the upper snugly to the last and side-lasted so that when stapled the upper will be held firmly and securely to the last. Care shall be taken that the vamp lining is pulled smoothly and tightly without any tears. The heel seat shall be wiped-in flat and securely attached around the base of the insole rib. Uppers will be lasted to obtain feather line to vamp line distance at blucher noses. The shoes shall remain the last until thoroughly dry. The last shall not be pulled on the same day as the shoes are lasted.
- 2.3.9 Inseaming Inseaming shall be done by machine with the thread specified in para 2.2.7.3, and with proper tension on the thread using a needle not larger than No. 41 and with not less than 2 stitches per cm. Inseam shall be lock-attiched from the middle sole extending to the upper and insole with one or two stitches.

Page 5 of 11 pages





4.4 Bid Samples - Two (2) bid samples of the Shoes, Dress, Low Cut, Rubber Sole shall be submitted to RDC, ASCOM, PA to determine the extent of compliance with the specification insofar as quality of materials used is concerned. The Office of The Quartermaster General, AFP shall determine the extent of compliance with the specification insofar as workmanship, style and finish are concerned.

PACKAGING AND PACKING

V. 1

- 5.1 Packaging Each pair of properly mated shoes shall be wrapped in two sheets of tissue paper. Shoes shall be packed in a set up box with a thickness of not less than 1.02 mm. Lid depth of partial telescope boxes shall not be less than 2.54 cm. Inside dimensions of box or carton shall be the same for all sizes, 37.5 cm long, 14 cm wide and 13 cm high.
- 5.2 Packing Twelve (12) pairs of shoes of the same sizes shall be packed in a comugated carton. All flaps of each box shall be securely sealed with a water resistant adhesive commercially used for sealing at area of contact between the flaps or by a combination of metal stitching in the bottom flaps and sealing the top flaps with adhesives. The box shall be labeled as follows:

SHOES, DRESS, LOW CUT, RUBBER SOLE QM SPEC NR IC-21SDRS (Name of Contractor) SIZE: QTY: Date of Manufacture

6. MISCELLANEOUS

- 6.1 The contractor/manufacturer shall notify the Office of the Quartermaster General, AFP or equivalent office in the major services at least seven (7) days before actual production starts so that AFP inspectors can be assigned to oversee the process of manufacture to be followed and to inspect the quality of materials to be used.
- 6.2 Any point not covered by this text shall be governed by the attached illustrations which shall be followed in every detail.


RAFAEL A SERA JOSE Colonel PA (GSC)

The Quartermaster General, AFP

Page 8 of 11 pages

QM SPEC NR IC-21SDRS

SHOES, DRESS, LOW CUT, RUBBER SOLE



AFP SPECIFICATION

QM SPEC NR IC-21SDRS


Page 10 of 11 pages


SHOES, DRESS, LOW CUT, RUBBER SOLE REVERSE VAMP LINING BOTTOM FILLER STEEL SHANK OUTERSOLE AND HEEL INSOLE DUSHION PAD CINING COUNTER

AFP SPECIFICATION

QM SPEC NR IC-21SDRS

SHOES, DRESS, LOW CUT, RUBBER SOLE





OUTERSOLE AND RUBBER SOLE

Page 11 of 11 pages

GENERAL HEADQUARTERS ARMED FORCES OF THE PHILIPPINES OFFICE OF THE QUARTERMASTER GENERAL. Camp General Emilio Aguinoldo, Quezon City

TEST PARAMETERS SHOES, DRESS, LOW CUT, RUBBER SOLE

TEST PARAMETERS	QM SPEC NR IC-21SDRS and	Classification of Detec		
IEST PHYMETERS	Supervades GM SPEC NR IC-215DRS dbf 18 Oct 2012	Major	Minor	
Upper	wel-look or glossy sythetic leather	X		
Color	Black	×		
Thickness,mm	1.6 + 0.1	1	- 1	
Weight, g/m2	600 (maximum)		- 1	
Tearing Strength, kg	5 (minimum)	- 10		
Breaking Strength, kg				
Direction A	14 (minimum)	X		
Direction B	20 (minimum)	1		
Vamp, Quarter and Tongue Lining		1		
Color	grayblick	-		
Thickness, min	33-37		1	
Outsole	The outside shall be hard rubber	X		
Color	Black	- X		
Thickness, mm	10 + 2	T		
Hardness (Durameter)	70 + 5	1		
Flex Resistance	the state of the s			
GREENSHAME	Shall not show sign of cracks or splits after a minimum of 500,000 flexes			
Bond Strength, kg	35 (minimum)	X		
Abrasion Resistance, mg	150.0 (maximum)	1		
Insole	Shall be cut from chrome split leather with a thickness of			
	1.6 - 2.2 mm or fiberboard with the following requirements.		x	
Gauge, mm	2.0 + 0.2		- 8	
Weight kalm ²	1.1 (maximum)		- 1	
Density, g/mi	0.6 - 0.7		1	
Breaking Strength, kg	40.11			
Direction A	120 (minimum)	1		
	HAVE CONTRACT TO THE CONTRACT		-	
Direction B	99 (minimum)	1		
Water Absorption, % (24 hrs)	50 (maximum) Shall be made of rebber material	1		
Reverse Welt	A CONTRACTOR OF THE PROPERTY O	1	-	
Width, an	1-2	-	X	
Bottom Construction Process	a. Goodyear Welt			
	b. McKay Sticking			
	c. Cold Cement and Combination		-	
Counter	Represent or imprograted material		8	
Thickness, mm	1.6 - 2.0		R:	
Density, girni	0.6 - 1.0	-	X	
Tensile Strength, kg/2.54 cm	85.0 (minimum)	1		
Weight, g/m	Fiberboard - 1,700 (maximum)		Т.	
Water transfer of the Control of the	Impregnated material - 1,300 (moximum)		-	
Water Absorption, % (24 hrs)	50 (maximum)	1	X	
Tongue	wet-look or glossy synthetic leather	1		
Color	Back	1.		
Thickness, mm	1.5 ± 0.1	120	1.	

AFP Core Values, Honor, Service, Patriotism

Page 1 of 3

TEST PARAMETERS	QM SPEC NR IC-2150RS did	Classification of Dele			
1107	Supercertes QM SPEC NR IC-2150RS did 16 Out 2012	Major	Minor		
Weight, g/m"	600 (maximum)		I.		
Tearing Strength, kg	5 (minimum)	1			
Breaking Strength, kg					
Direction A	14 (minimum)	X.			
Direction B	20 (minimum)	×			
Hoel	Shall be made of rubber with appropriate number of	X			
	toles securely nailed to the sole				
Coor	Black	*			
Thickness, mm	16-20	1			
Eyeletstay	Shall be of the same material as the quarter				
Width, ars	2.9 (minimum)	1			
Thread					
Upper Fitting	Mylon or Polyester		1		
Breaking Strength, kg	2 (minimum)	1			
Color	Black	1			
Running Thread	Nylon or Polyester		X :		
Color	Black	1	-		
No. of Ply	3 (minimum)	1			
Breaking Strength, kg	10 (minimum)	1			
Inseam Thread	Nylon or Polyester	-	К.		
No. of Ply	3 (minimum)				
Breaking Strength, kg	10 (minimum)	T.	-		
Double Thread	Nylon or Polyester	-	2.		
Yam Size, Denier	300 (minimum)		1		
No. of Ply	2 (minimum)		1		
Breaking Strength, kg	2 (meanum)	X			
Color	Black	X			
Box Toes	Shall be out from impregnated material		1.		
Thickness, run	1.1-1.5		1		
Plyrib	Shall be libertoord material		1		
	Shall be with sufficient length to extend around the insole for well attachement				
	Shall be enapped by glued cotton cloth leaving an				
	open space of 3 - 4 mm on the fiberboard for insole attachment		x		
Width, mm	6-8		X		
Thickness, mm	2 (minimum)				
Steel Shank	Heavy Steel	X.			
	With two (2) prongs/iveted	1.			
	Double ribbert		K.		
	Properly placed in the arch surface of the inner sole		K K		
Gauge No.	18 - 20		X X		
Longth x Width, cm	10 ± 0.2 x 2.5 ± 0.1		3.		
feel Nails	Shall be steel, out or wire type		X.		
Length, cm	22-28	2			
Diameter, mm	1.9+0.1		2		
No. of pieces	8-11	- 1			
Bottom Filler	Flubberized Fearn		1		
AND THE STREET	Shall be coated with adhesive and firmly pressed into				
			1.		
F -3.4	the insole to even out the bottom surface of the shoe	-			
Eyelets	Blind, plain type	1			
	Aluminum	1			
Diameter, mm	20-35				

AFP Core Values, Honor, Service, Patriotism

TEST PARAMETERS	OM SPEC NR IC 21SDRS did	Classification	on of Defe					
ICOT THINME ICIO	Supervioles QM SPEC NRT IC 21/10/PS dol 18 Cet 2012	Major	Minor					
Thickness, mm	0.5 ± 0.1 after fabrication		1					
Laces	Braided rylon, polyester or oldfin with plastic reinforced tips							
Length, on	70 (minimum)	X						
Diameter, mm	2 (minimum)		1.					
Breaking Strength, kg	50.0 (minimum)	X						
Sock Lising	Made of Ethylene Vinyl Acetate (EVA) tarminated with		1					
	nylon or polyester fabric							
Thickness, mm	3 (minimum)		. 1					
Reinforcing Tapes	Adhesive Fiber		T.					
Width, cm	1.6 (minimum)		1					
Thickness, mm.								
Contractor's Label	With contractor's label	×	-					
	Imprinted or stencifed on a cloth with indelible ink or by dry heat transfer process of equal lastness. The imprint of the marking shall be in block type of lettering		×					
	The label shall be sewed on all four sides not more than 3 mm from edges. The sides may be turned in. The stitching stitching shall not go through printing.		1					
Contents of Label	The contractor's label shall consist of the If.		×					
	SHOES, DRESS, LOW CUT, RUBBER SOLE. QM SPEC NR IC-21SDRS: Name of Centractor: Lot No: Sien:							
Size of Label								
Length, on	4-5		111111111111111111111111111111111111111					
Width, on	2-3)							
Height of Letterings, mm	1 (minimum)		. 1					
Position of Label	Sewed on inside portion and top center of the torque		T.					
Total Test Points		- 44	55					

RAFAEL A SERA JOSE
Coloriel PA (GSC)
The Quartermaster General, AFP

AFP Core Values, Honor, Service, Patriotism

GENERAL HEADQUARTERS ANMED FUNCES OF THE PHILIPPINES OFFICE OF THE QUARTERMASTER GENERAL Camp General Emilio Agoinskio, Quezon City

TEST PARAMETERS SHOES, DRESS, LOW CUT, RUBBER SOLE

TEST PARAMETERS	OM SPEC NR IC-21SDRS dtdDCT 1 8 2012	Classification of Defec		
TEST PYRIMETERS	Supercedes GM SPEC NR G-72-J-1 did 24 Mar 97	Major	Minor	
Upper	wet-kook or glossy sythetic leather	8		
Color	Black	×		
Thickness,mm	1.6+0.1		X	
Weight, g/m2	600 (maximum)		- 1	
Tearing Strength, kg	5 (minimum)			
Breaking Strength, kg				
Direction A	14 (minimum)	. 3		
Direction B	20 (minimum)	×		
Vamp, Quarter and Tongue Lining	non-woven nylon or polyester labric with laminated foam.	- 1		
Color	gray/black		- 1	
Thickness, mm	33-37		- 1	
Outsole	The outsole shall be hard rubber	- 1		
Color	Black			
Thickness, mm	10 + 2	X		
	70+5			
Hardness (Durometer)	The second secon	A	_	
Flex Resistance	Shall not show sign of cracks or splits after a minimum of 500,000 flexes	×		
Bond Strength, kg	35 (minimum)	- 3.		
Abrasion Resistance, mg	150.0 (maximum)	X		
insole	Shall be cut from chrome split leather with a thickness of			
and the same of th	1.8 - 2.2 mm or fiberboard with the following requirements:		- 1	
Daniel and	2.0+0.2		- 1	
Gauge, mm	1.1 (maximum)		- 1	
Weight kultr	0.6-0.7		×	
Density, almi	5/97/6/2			
Breaking Strength, kg	9787 Automotive	- 12		
Direction A	120 (minimum)	- 1		
Direction 8	99 (minimum)	1.		
Water Absorption, % (24 frst)	50 (maximum)	1		
Reverse Welt	Shall be made of rubber material	1.		
Width, cm	1-2		- 8	
Bottom Construction Process	a. Goodyear Well	-	- 22	
	b. McKay Stitching		- 8	
	c. Cold Cement and Combination			
Counter	Sherboard or impregnated material		X	
Thickness, mm	1.6 - 2.0		×	
Density, g/mi	0.6 - 1.0		- 1	
Tensile Strength, kg/2.54 cm	85.0 (minimum)	X.		
Weight, g/m*	Fiberboard - 1,700 (maximum) Impregnated material - 1,300 (maximum)		- 1	
Water Absorption, % (24 hrs)	50 (maximum)	. 8.		
Tongue	wet-look or glossy synthetic leather	X		
Color	Black	X		
Thickness, mm	1.6+0.1		- 2	
Weight, g/m'	600 (maximum)			
Tearing Strength, kg	5 (minimum)	1.		

TEST DADAMETEDS	OM SPEC NR IC-21SDRS dtd OCT 18 2012	Classification of Defec			
TEST PARAMETERS	Supersedes QM SPEC NR C-72-J-1 dtd 24 Mar 97	Major	Minor		
Breaking Strength, kg	I a 22 Labellina English				
Direction A	14 (minimum)	X			
Direction B	20 (minimum)	X			
leel	Shall be made of rubber with appropriate number of	X			
	holes securely nailed to the sole				
Color	Black	X			
Thickness, mm	16 - 20	X			
Eyeletstay	Shall be of the same material as the quarter	X			
Width, cm	2.9 (minimum)	1	Х		
Thread					
Upper Fitting	Nylon or Polyester		1		
Breaking Strength, kg	2 (minimum)	X			
Color	Black	X			
Running Thread	Nylon or Polyester		1		
Color	Black	X			
No. of Pty	3 (minimum)		- 3		
Breaking Strength, kg	10 (minimum)	X			
Inseam Thread	Nylon or Polyester		- 1		
No. of Ply	3 (minimum)				
Breaking Strength, kg	10 (minimum)	X			
Double Thread	Nylon or Polyester		X		
Yam Size, Denier	300 (minimum)		X		
No. of Ply	2 (minimum)		х		
Breaking Strength, kg	2 (minimum)	X			
Color	Black	X	-		
Box Toes	Shall be cut from impregnated material		X		
Thickness, mm	1.1-1.5		X		
Plyrib	Shall be fiberboard material		X		
iyini	Shall be with sufficient length to extend around the				
	insple for welt attachement		X		
	Shall be wrapped by glived cotton cloth leaving an		-		
	open space of 3 - 4 mm on the fiberboard for insole		X		
	attachment	-			
Width, mm	6-8		X		
Thickness, mm	2 (minimum)		I		
Steel Shank	Heavy Steel	X			
	With two (2) prongs/riveted	X			
	Double ribbed		X		
	Properly placed in the arch surface of the inner sole		3		
Gauge No.	18 - 20		X		
Length x Width, cm	10 ± 0.2 x 2.5 ± 0.1		X		
Tacks	Steel		X		
	Shall be of proper length to thougoughly attach the parts through which they are driven and leave the insole smooth on the inside.	х			

TEST PARAMETERS	QM SPEC NR IC-21SDRS dtd OCT 18 2012	Classification of Defec			
TEST THINMETERS	Supersedes OM SPEC NR C-72-J-1 did 24 Mar 97	Major	Minor		
Breaking Strength, kg	Control of the Contro				
Direction A	14 (minimum)	X			
Direction B	20 (minimum)	X			
leel	Shall be made of rubber with appropriate number of	X			
	holes securely nailed to the sole				
Color	Black	X			
Thickness, mm	16 - 20	X			
Eyeletstay	Shall be of the same material as the quarter	X			
Width, cm	2.9 (minimum)	W	Х		
Thread					
Upper Fitting	Nylon or Polyester		1		
Breaking Strength, kg	2 (minimum)	X			
Color	Black	X			
Running Thread	Nylon or Polyester		1		
Color	Black	X			
No. of Ply	3 (minimum)		X		
Breaking Strength, kg	10 (minimum)	X			
Inceam Thread	Nylon or Polyester		1		
No. of Ply	3 (minimum)				
Breaking Strength, kg	10 (minimum)	X			
Double Thread	Nylon or Polyester		X		
Yam Size, Denier	300 (minimum)		X		
No. of Ply	2 (minimum)		X		
Breaking Strength, kg	2 (minimum)	X			
Color	Black	X	-		
Box Toes	Shall be cut from impregnated material		X		
Thickness, mm	1.1 - 1.5		X		
Plyrib	Shall be fiberboard material		X		
ijini	Shall be with sufficient length to extend around the				
	insole for welt attachement		X		
	Shall be wrapped by glived cotton cloth leaving an				
	open space of 3 - 4 mm on the fiberboard for insole		X		
	atlachment				
Width men	6-8		Х		
Width, mm Thickness, mm	2 (minimum)		I		
Steel Shank	Heavy Steel	×			
other orient	With two (2) prongs/riveted	X			
	Double ribbed	-	×		
	Properly placed in the arch surface of the inner sole		- 3		
Course No.	18 - 20		X		
Gauge No.	10 ± 0.2 x 2.5 ± 0.1		X		
Length x Width, cm	Sizei		x		
Tacks			-		
	Shall be of proper length to thougoughly attach the parts through which they are driven and leave the insole smooth on the inside.	х			

Section VIII. Checklist of Technical and Financial Documents

Checklist of Technical and Financial Documents

I. TE	CHNICAL COMPONENT ENVELOPE
	Class "A" Documents
TAB	Legal Documents
A	Valid and updated PhilGEPS Registration Certificate (Platinum Membership) in accordance with Section 8.5.2 of the revised IRR of RA No. 9184 (updated 03 July 2023) and GPPB Resolution 15 - 2021 dated 14 October 2021.
	<u>Technical Documents</u>
В	Duly signed Statement of the prospective bidder of all its ongoing government and private contracts , including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid. (Annex 1)
	*The bidder may make a reservation under oath in a notarized document not to disclose the name of its client on the ground of an existing confidentiality agreement but must disclose the amount, status, kind of goods, and name of the project for purposes of validating the NFCC, subject to the full disclosure during post-qualification. In this connection, the bidder may keep the name of the client from the statement of ongoing contracts.
С	Statement of the bidder's Single Largest Completed Contract (SLCC) of similar nature within the last five (5) years from the date of the Receipt and Opening of Bid Envelope.
	Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to at least twenty-five percent (25%) of the ABC (Expendable Supplies).
	* For this project, "similar contract or project" shall pertain to the Supply and Delivery of Military Shoes, Rubber Shoes, Boots or other types of footwear.
	<u>Financial Documents</u>
D	The prospective bidder's computation of Net Financial Contracting Capacity (NFCC) (Annex 3-A); <u>or</u>
	A Committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (Annex 3-B).
	* Should the bidder opt to submit NFCC, computation must be at least equal to the ABC to be bid, calculated as follows.

NFCC = [(Current assets minus current liabilities) (15)] minus the value of all ongoing contracts, including awarded contracts yet to be started.

- * The values of the domestic bidder's current assets and current liabilities shall be based on the latest Annual Income Tax Return and Audited Financial Statements filed thru eFPS.
- * For foreign bidders, the value of the current assets and current liabilities shall be based on their latest Audited Financial Statements (AFS) prepared in accordance with international reporting standards. The NFCC computation shall be expressed in Philippine Peso based on the prevailing exchange rate as published in the BSP reference rate bulletin on the date of preparation of the AFS.
- * If the prospective bidder opts to submit a Committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC of the project issued by local universal or commercial bank. The amount of Committed Line of Credit must be Machine Validated.

Class "B" Documents

E Duly signed **Joint Venture Agreement (JVA)** in case the joint venture is already in existence; **or**

In the absence of a JVA, duly **Notarized Statement/s from all the potential joint venture partners** stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security; **or**

In case JVA is not applicable, the bidder must submit a duly signed **Statement stating that JVA is not applicable** in lieu of the foregoing (**Annex 4**).

*Note:

Η

- The JVA should be specific to the project including the purpose and all supporting documents related thereto.
- F Bid security in the prescribed form, amount and validity period; or a Notarized Bid Securing Declaration (Annex 5).
- G Conformity with the Schedule of Requirements (Annex 6-A).

Duly signed statement of compliance to Technical Specifications and Test and Evaluation Procedures (Annex 6-B).

Warranty Undertaking (Annex 6-C).

Certificate of Replacement for Defective Items (Annex 6-D).

Certificate from Armed Forces of the Philippines Procurement Service (AFPPS) that the Bidder is not Blacklisted and has no overdue delivery; or

In the absence of the said Certificate, the Bidder shall submit a proof of application of the same stamped received by AFPPS if manually filed, or acknowledged received by the AFPPS through its official email address:afppsthree@gmail.com if electronically filed.

*Note:

- In case of Joint Venture, each JV partner shall submit the Certificate.
- I Notarized Omnibus Sworn Statement (Annex 7).
- J Proof of Authority of the designated representative/s for purposes of the bidding

For Local Bidder:

- a. **Duly notarized Special Power of Attorney** For Sole Proprietorship if owner opts to designate a representative/s; OR
- b. **Duly notarized Secretary's Certificate** evidencing the authority of the designated representative/s, issued by the corporation, cooperative or the members of the joint venture.

For Foreign Bidder:

- a. Valid and Current Written Appointment of the Philippine based company (as local representative of foreign manufacturer) issued by the foreign bidder. The written appointment must include detailed scope of responsibility of the local representative. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification; AND
- b. **Duly Notarized authorization of the duly registered Philippine-based company representative**(e.g. Secretary's Certificate for Corporation, Special Power of Attorney for Sole Proprietor) with specimen signature of the authorized representative to transact with PA/AFP including address, telephone number, mobile phone number, and email address;

OR

of the Philippines), a Valid and Current Written Appointment of the said individual as the local representative issued by the foreign bidder must be submitted. The written appointment must include detailed scope of responsibility of the local representative with specimen signature of the authorized representative to transact with PA/AFP, including address, telephone number, mobile phone number, and email address. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification.

K	Valid and Updated BOI Accreditation in compliance with R.A. 9290 otherwise
	known as "The Footwear, Leather Goods and Tannery Industries Development
	Act"

II. FINANCIAL COMPONENT ENVELOPE							
<u>TAB</u>	<u>Financial Documents</u>						
A	Bid Form for the Procurement of Goods (Annex 8-A) Duly signed and accomplished Financial Bid Form (Annex 8-B)						
В	Duly signed and accomplished Price Schedule(s) (Annex 9)						

Bidding Forms

Bidding Forms	Annex Nr
Statement of All On-going Government and Private Contracts including Contracts Awarded but not yet started, if any.	Annex 1
Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least twenty-five (25%) of the ABC	Annex 2
Certificate of Net Financial Contracting Capacity (NFCC)	Annex 3-A
Sample Form for Committed Line of Credit	Annex 3-B
Statement that JVA is not applicable	Annex 4
Bid Securing Declaration	Annex 5
Conformity with the Schedule of Requirements	Annex 6-A
Duly signed statement of compliance to Technical Specifications and Test and Evaluation Procedures	Annex 6-B
Warranty Undertaking	Annex 6-C
Certificate of Replacement for Defective Items	Annex 6-D
Omnibus Sworn Statement	Annex 7
Bid Form for the Procurement of Goods	Annex 8-A
Duly signed and Accomplished Financial Bid Form	Annex 8-B
Bid Prices and applicable Price Schedules	Annex 9

Annex 1

(COMPANY LETTERHEAD)

Procurement of 8,407 pairs Shoes, Dress, Low Cut, Rubber Sole Bid Ref. No. QM PABAC1 030-24 Approved Budget Contract: Php14,291,900.00

Statement of All On-going Government and Private Contracts including Contracts Awarded but not yet started, if any. In case the supplier has no on-going government or private contract, indicate none on the space provided.

	1.	All Oll-go	onig Governin	em	Contracts					
Name Contract	of	Date of Contract	Kinds Goods	of	Value of Contract	Status Contract	of	Date of Delivery	Purchase Order, Notice to Proceed or Contract	Value of Outstanding Contract
TOTAL										
	Total 2.		utstanding Co							
Nome	o.C	Data of	Vin do	- C	Volum of	Chatra	- C	Doto of	Purchase Order,	Value of Outstanding

Name Contract	of	Date of Contract	Kinds Goods	of	Value of Contract	Status of Contract	Date of Delivery	Order,	Value of Outstanding Contract
TOTAL									

Total Value of Outstanding Contra	act:							
CERTIFIED CORRECT:								
Name & Siz	gnature of Aut	horized Represe	– entative					
	Posit	ion						

Annex 2

(Company Letterhead)

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least twenty-five (25%) of the ABC

Name of Contract	Date of Contract	Kinds of Goods	Value of Contract	Date of Delivery	End-User's Acceptance or Official Receipts

CE	RTIFIED CORRECT:	
Name & Signa	ture of Authorized Repr	esentativ
	Position	
	 Date	

Annex 3-A

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY

(Please show figures at how you arrived at the NFCC)

Dogog	This is to certify that our Net Financial Contracting Capacity (NFCC) is Philippine (P) which is at least equal to the total ceiling price we are
bidding	
	The amount is computed as follows: NFCC= (CA-CL) (K)-C
	Where:
	CA = Current Assets
	CL = Current Liabilities
	K = 15
	C = value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project
	Issued this day of, 2022.
	CERTIFIED CORRECT:
	Name & Signature of Authorized Representative
	Position
	 Date

Annex 3-B

(Name of Bank) COMMITTED LINE OF CREDIT

Date:	
ARMED FORCES OF THE PHILIPI OFFICE OF THE PHILIPPINE A Fort Andres Bonifacio, Metro Man	RMY BIDS AND AWARDS COMMITTEE
PROJECT	:
COMPANY/FIRM	:
ADDRESS	:
BANK/FINANCING INSTITUTION	:
ADDRESS	:
AMOUNT	:
indicated above, commits to provide above-mentioned Contract, a credit exclusively used to finance the perfeterms, conditions and requirements. The credit line shall be ava (Supplier/Distributor/Manufacturer) as is completed by the Contractor. This certification is being issued in connection with the bidding requirements.	ove Bank/Financing Institution with business address the (Supplier/Distributor/Manufacturer), if awarded the line in the amount specified above which shall be armance of the above-mentioned contract subject to our milable on the date of the submission of bid by the and such line of credit shall be maintained until the project used in favor of said (Supplier/Distributor/Manufacturer) irement of (Name of Procuring Entity) for the above-mat any false statements issued by us make us liable for
The committed line of credit ca	annot be terminated or cancelled without the prior written LIPPINE ARMY BIDS AND AWARDS COMMITTEE.
Name and Signature of Authorized Fi	nancing Institution Office
Official Designation	
Concurred By:	
Name & Signature of (Supplier/Distri	butor/Manufacturer's) Authorized Representative
Official Designation	
	N TO BEFORE ME thisat
	ibited to me his/her competent Evidence of identity as

defined	by	the	2004	Rules at	on	Notarial	Practice	(A.M. ·	No.	02-8-13-SC),	issued	on
								N	OTAI	RY PUBLIC		
Doc No												
Page No Book No Series o	o:	_										

Annex 4

(Company Letterhead)

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

a join			(name of bide ocurement of			will be e of projec	participating et)	witl 	hout
Appli		undersigned bove mention	acknowledges ed project.	that	Joint	Venture	Agreement	is	Not
			CERTIFIED CO	ORRE	ECT:				
		Name & Sig	gnature of Autho	orizea	l Repre	sentative			
			Positio	n					
			 Date		_				

			Annex 5
Name of Project: Public Bidding Nr: ABC:			
	BID-SECURIN	G DECLARATION	N
REPUBLIC OF THE			
BID-SECURING DE Invitation to Bid/Req	CLARATION uest for Expression of I	Interest No. 1: (Insert	reference number)
To: (Insert name and	address of the Procuri	ng Entity)	
I/We, the undersigned	l, declare that:		
	nd that, according to y be in the form of a Bid		must be supported by a Bid
contract with any proc Order; and (b) I/We we the Use of Bid Secu- demand by the procur bid securing declaration	curing entity for a period will pay the applicable firing Declarations, with tring entity for the community	d of two (2) years upo fine provided under Schin fifteen (15) days mission of acts resulti (b), 34.2, 40.1 and 69	alified from bidding for any on receipt of your Blacklisting ection 6 of the Guidelines on from receipt of the writtening to the enforcement of the 0.1, except 69.1 (f) of the IRR ent may undertake.
3. I/We understa following circumstance		nring Declaration sha	all cease to be valid on the
	on of the bid validity	period, or any extens	ion thereof pursuant to your
effect, and (i) I/We fato avail of said right;	ailed to timely file a re-	quest for consideration	receipt of your notice to such on or (ii) I/We filed a waiver
	nd Responsive Bids, ar		Calculated and Responsive and the performance security
IN WITNESS WHER (Year) at (Place of Ex		et my/our hand/s this _	day of (Month)
	NAME OF BI	DDERS AUTHORIZ (Insert signatory's le	
			day ofat tent Evidence of identity as

defined	by	the	2004	o.t	Notarial		No.	02-8-13-SC)	, issued	on
						N	OTAI	RY PUBLIC		
Doc No:										
Page No	:									
Book No	o:									
Series of	f:									

Annex 6-A

SCHEDULE OF REQUIREMENTS

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

TO THE BIDDER: Indicate "COMPLY" If proposal meets the technical specifications and project requirements. DO NOT LEAVE ANY BLANK. A "YES OR NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL								
RESULT IN A RATING OF "FAILED"								
Description	Quantity	Delivery Period	Delivery Place	Bidders Proposal				
Shoes, Dress, Low Cut, Rubber Sole	8,407 pairs	Full Delivery within Ninety (90) Calendar Days upon Receipt of NTP	GS Warehouse, 1LSG, Army Support Command, PA, Camp General Servillano Aquino, San Miguel, Tarlac City					

	CERTIFIED CORREC	CT:
Name & Si	gnature of Authorized I	Representative
	Position	
	 Date	

Annex 6-B

COMPLIANCE TO TECHNICAL SPECIFICATION

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

TO THE BIDDER: Indicate "COMPLY" If proposal meets the technical specifications and project requirements. DO NOT LEAVE ANY BLANK. A "YES OR NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Ouantity/Item Proguined Tochnical Specifications/Tost Parameters Bidder's

Quantity/Item Description	Required Technical Specifications/Test Parameters	Bidder's Proposal
8,407 pairs Shoes, Dress, Low Cut, Rubber Sole	QM SPEC NR IC – 21SRDS dated 15 Sept 2015	

I/WE, the undersigned bidder, have examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above described items.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract/order confirmation is prepared and signed, this Bid is binding on us.

	Name of Company
Sig	gnature of Company Representative
	Name & Designation
	 Date

Annex 6-C

(Bidder's Company Letterhead)

WARRANTY UNDERTAKING

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

(Company/Bidder)	<u>,</u> hereby comr	nits that should w	e be awarded the	thorized representative of e contract, we will issue a nonths from date of final
This Undertakin project	ng shall form part o	f the Technical Re	equirements for th	ne aforesaid procurement
	Signature o	f Company Rep	resentative	-
	Na	me & Designati	on	

Date

Annex 6-D

(Bidder's Company Letterhead)

CERTIFICATE OF REPLACEMENT FOR DEFECTIVE ITEMS

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

(0	I/We,	(Name)		(Title/C	Capacity)	the dul	y authoriz	zed repre	esentative of
			•		should we be				
	e items wit	inin thirty	(30) calenda	ar days	s upon receip	t of inotice	of Defect	is from th	ie Philippine
Army.									
	Supplier fu	rther certifi	es that the o	oods to	be delivered	have been	manufac	tured no	t more than
six (6) ı	months fro		•						
. ,			-						
		ication sha	ll form part o	of the T	echnical Red	uirements	for the at	foresaid p	procurement
project.									
	legued this	. da	v of	2023	in	Philippine	76		
	issueu tilis	ua	y OI	_ 2020		<u>, i iiiippiii</u>	,,		
			-						
Name c	of Company	(Bidder)			Full Name of	Authorized	d Represe	entative	
Address	s		-		Signature of	Authorized	Represe	ntative	
, taa. 00t	J				oignataro or	7 (01) 200	rtoproco	intativo	
			-						
Tel. No.	./Fax				E-mail Addre	SS			

Annex 7

Omnibus Sworn Statement (Revised)

[shall be submitted with the Bid]

DEDUDUIC OF THE DITH IDDINES		

REPUBLIC OF THE PHILIPPINES)	
CITY/MUNICIPALITY OF)	S.S

AFFIDAVIT

- I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:
- 1. [Select one, delete the other:]

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

				EREO nilippin		have he	reunt	set	my ha	and th	nis	_ day o	f	, 20
						Bidde	r's Re	pres	entativ	e/Aut	horiz	zed Sigi	nator	 y
define	,	Phili	ppine	s. Affia	ant e	RN TO I xhibited Notaria	to me	his/h	er com	peten	t Evi	dence o	f ider	ntity as
									•			,	,	
									NO	OTAR	Y PU	JBLIC		
Doc N	No:													
Page	No:													
Book	No:													
Series	s of:													

Annex 8-A

Bid Form for the Procurement of Goods

[shall be submitted with the Bid]

BID FORM	
Date:	
Project Identification No.:	

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of theGoods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and otherbid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

Name and address Amount and Purpose

of agent Currency Commission or

- a. to deliver the goods in accordance with the delivery schedule specified in the Scheduleof Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain bindingupon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

gratuity		
(if none, state "None")]		

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] asevidenced by the attached [state the written authority].

	wledge that failure to sign each dule of Prices, shall be a ground	and every page of this Bid Form, including for the rejection of our bid.
Name:	Legal capacity: to sign the Bid for and behalf	Signature:of: Date:

Annex 8-B

(Bidder's Company Letterhead)

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

FINANCIAL BID FORM

Description	Qty	AE	BC Price	Bidder's Proposal			
•	-	U/P	Total Price	U/P	Total Price		
Shoes, Dress, Low Cut, Rubber Sole	8,407 pairs	Php1,700.00	Php14,291,900.00				
TOTAL BID PRICE							
Total Bid Price (Amount in	Words):						
		BIDDER'S U	NDERTAKING				
/We, the undersigned bidde OFFER to (supply/deliver/per			•	ng Bid Bull	etins, as applicable, hereby		
/We undertake, if our bid is a pid documents, including the Notice of Award.							
Until a formal contract/order	confirmation is	prepared and sig	gned, this Bid is bindi	ng on us.			
		Name of Com	npany (in print)				
	Sigr	nature of Comp	pany Representative	<u> </u>			
		Name & Desig	nation (in print)				

Date

Annex 9 FORM NO. 1

(Bidder's Company Letterhead)

Procurement of 8,407 pairs
Shoes, Dress, Low Cut, Rubber Sole
Bid Ref. No. QM PABAC1 030-24
Approved Budget Contract: Php14,291,900.00

For Goods Offered From Abroad

١	Name of Bi	dder			Invitation to	Bid ¹ Numbe	rPage _	of
_								
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Qty	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered at Place (DAP)	Unit price Delivered Duty Paid (DDP)	Total Price -(if DAP col 4X7) -(If DDP col 4X8)
	Note: If the applicable.	partic	ular c	column is not ap	 plicable ind	icate dash ((-) or zero	(0), as
_			. 7			F		_
		[signa	iturej			[in the capa	city of]	
[Ouly author	rized to	sign E	Bid for and				

_

¹ If ADB, JICA and WB funded projects, use IFB.

Annex 9 FORM NO. 2

(Bidder's Company Letterhead)

Procurement of 8,407 pairs Shoes, Dress, Low Cut, Rubber Sole Bid Ref. No. QM PABAC1 030-24 Approved Budget Contract: Php14,291,900.00

For Goods Offered From Within the Philippines

	Name of	Bidder		Invitation to Bid ² NumberPage _. of							
1	2	3	4	5	6	7	8	9	10		
em	Descriptio n	Country of origin	Quantity	Unit price Exwper item	Transportati on and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (co 4)		
	Note: If applicable		ticular c	olumn is r	not applica	ble indica	te dash (-) or zero (()) , as		
			nature]			-	ne capacity	-	-		
	Duly auth	norized	to sign E	Bid for and	on behalf c	of					
	² If ADR	IICA ar	nd WB fu	— nded projec	ts use IFR						

Page 68 Procurement of 8,407 pairs Shoes, Dress, Low Cut, Rubber Sole

