

H E A D Q U A R T E R S P H I L I P P I N E A R M Y OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE 3 Fort Andres Bonifacio, Metro Manila

BIDDING DOCUMENTS

for the

Procurement of 1 Lot for Radio Monitoring and Direction Finder

SIG PABAC3 022-22

ABC: PhP 50,400,000.00

Date of Opening of Bids: 08 June 2023 at 9:30AM

> Sixth Edition July 2020

TABLE OF CONTENTS

GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS	3
SECTION I. INVITATION TO BID	6
SECTION II. INSTRUCTIONS TO BIDDERS	9
SECTION III. BID DATA SHEET	.15
SECTION IV. GENERAL CONDITIONS OF CONTRACT	.18
SECTION V. SPECIAL CONDITIONS OF CONTRACT	.20
SECTION VI. SCHEDULE OF REQUIREMENTS	.28
SECTION VII. TECHNICAL SPECIFICATIONS	29
SECTION VIII. CHECKLIST OF TECHNICAL AND FINANCIAL DOCUMENTS	.44

GLOSSARY OF ACRONYMS, TERMS, AND ABBREVIATIONS

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender.* (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA – Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

- **CPI** Consumer Price Index.
- **DDP** Refers to the quoted price of the Goods, which means "delivered duty paid."

- **DTI** Department of Trade and Industry.
- **EXW** Ex works.
- **FCA** "Free Carrier" shipping point.
- **FOB** "Free on Board" shipping point.

Foreign-funded Procurement or Foreign-Assisted Project – Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

- **GFI** Government Financial Institution.
- **GOCC** Government-owned and/or controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

- **GOP** Government of the Philippines.
- **GPPB** Government Procurement Policy Board.
- **INCOTERMS –** International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification

facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

- **LGUs** Local Government Units.
- **NFCC** Net Financial Contracting Capacity.
- **NGA** National Government Agency.
- **PhilGEPS** Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

- **PSA** Philippine Statistics Authority.
- **SEC** Securities and Exchange Commission.
- **SLCC** Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Procurement of 1 Lot for Radio Monitoring and Direction Finder

BID REF SIG PABAC3 022-22

1. The Philippine Army, through the Advice of Sub-Allotment (ASA) Number 2200-2023-0061 dated 17 January 2023, intends to apply the following sum being the Approved Budget for the Contract (ABC) to payment under the contract for the Procurement of 1 Lot for Radio Monitoring and Direction Finder under SIG PABAC3 022-22. Bids received in excess of the ABC shall be automatically rejected at bid opening.

Description	Qty	ABC (Pesos)
Fixed Site		
75-520MHz Fixed-Site Adcock Antenna	3	
RDF Receiver & Watson-Watt DF Bearing	3	
Processor	3	
DF Software (Network Version w/ 3 sites)	3	
Mapmaker Software	3	
GPS Nodel DGP-16HV	3	
Ruggedized Case	3	50 400 000 00
Mobile RDF		50,400,000.00
65-1000MHz Mobile Adcock DF Antenna	6	
RDF Receiver & Watson-Watt DF Bearing	6	
Processor	o	
DF Software (Stand Alone)		
Mapmaker Software 6		
GPS Nodel DGP-16HV 6		
Ruggedized Case	6	

2. The Philippine Army now invites bids for the above Procurement Project. Delivery of the goods is required within One Hundred Twenty (120) calendar days from receipt of Notice to Proceed (NTP) by the supplier, which date shall not be later than seven (7) days from the issuance of NTP. Bidders should have completed within **five (5) years** from the date of Submission and Receipt of Bids a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary "pass/fail" criterion as specified in the 2016 Revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184 otherwise known as the "Government Procurement Reform Act".

Bidding is open to all interested bidders, whether local or foreign, subject to the conditions for eligibility provided in the 2016 revised IRR of RA No. 9184.

4. Prospective Bidders may obtain further information from PABAC3 Secretariat and inspect the Bidding Documents at the address given below during office hours (8:00AM to 4:00PM) on weekdays only.

5. The complete set of Bidding Documents may be acquired by interested Bidders on 19 May 2023 – 08 June 2023 from the given address and websites below in the amount of **Php50,000.00**. The Procuring Entity shall allow the bidder to present its proof of payment for the fees presented in person, by facsimile, or through electronic means.

6. The Philippine Army through PABAC3 will hold a Pre-Bid Conference on the time and date as specified below at the Ugnayan Hall HHSG, Fort Andres Bonifacio, Taguig, Metro Manila and/or through video conferencing or webcasting via Zoom, which shall be open to prospective bidders.

7. Bids must be duly received by the PABAC3 Secretariat through manual submission at the office address indicated below on or before the date of submission of bids. Late bids shall not be accepted.

8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in ITB Clause 14.

9. Bid opening shall be on the date as specified below and at the given address below and/or through video conferencing or webcasting. Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

ACTIVITIES	TIME and DATE	VENUE
1. Sale and Issuance of Bidding Documents	8:00AM to 4:00PM Mondays to Fridays only starting on 19 May 23 – 08 Jun 23	PABAC3 Office NCO Clubhouse, Fort Andres Bonifacio, Taguig City
2. Pre-Bid Conference	26 0930H May 2023 (Friday)	Ugnayan Hall HHSG, Fort Andres Bonifacio,
3. Submission and Opening of Bids	08 0930H June 2023 (Thursday)	Taguig City, Metro Manila

The schedule of the bidding activities shall be as follows:

10. The Philippine Army reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.

11. For further information, please refer to:

Office of the PA Bids and Awards Committee 3

Fort Andres Bonifacio, Metro Manila

BGEN MOISES M NAYVE JR PA PABAC3 Chairperson Contact Nr. +639065961018 Telephone Nr. 845-9555 local 4084 Email address: pabac3.2021@gmail.com

12. You may visit the following websites:

For downloading of Bidding Documents:

- philgeps.gov.ph
- army.mil.ph

(Signed) BGEN MOISES M NAYVE JR PA PABAC3 Chairperson

Section II. Instruction to Bidders

1. Scope of Bid

The Procuring Entity, **Philippine Army** wishes to receive Bids for the Procurement of 1 Lot for Radio Monitoring and Direction Finder under **SIG PABAC3 022-22.**

The Procurement Project (referred to herein as "Project") is composed **of one** *lot*, the details of which are described in Section VII (Technical Specifications).

2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for 2022 in the amount of *Fifty Million Four Hundred Thousand Pesos (PhP 50,400,000.00)*.
- 2.2. The source of funding is **The General Appropriations Act.**

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership exceeding those allowed under the rules may participate pursuant to:
 - i. When a Treaty or International or Executive Agreement as provided in Section 4 of the RA No. 9184 and its 2016 revised IRR allow foreign bidders to participate;
 - ii. Citizens, corporations, or associations of a country, included in the list issued by the GPPB, the laws or regulations of which grant reciprocal rights or privileges to citizens, corporations, or associations of the Philippines;
 - iii. When the Goods sought to be procured are not available from local suppliers; or
 - iv. When there is a need to prevent situations that defeat competition or restrain trade.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
 - a. For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.; or
 - b. The Bidder should comply with the following requirements:
 - Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies of the ABC for this Project; and
 - ii. The largest of these similar contracts must be equivalent to **at least half of the percentage** of the ABC as required above.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

The Procuring Entity has prescribed that **Subcontracting is not allowed**.

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address indicated herein and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within the last five (5) years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.

11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;
 - iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and,
 - iv. The price of other (incidental) services, if any, listed in e.
 - b. For Goods offered from abroad:
 - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in **Section VII (Technical Specifications).**

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in **Philippine Pesos**.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until **One Hundred Twenty (120)** calendar days from the date of opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by ITB Clause 15 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- *19.4.* The Project shall be awarded as: **One Project having several items** that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

20.2. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

ITB Clause	
3	Non-compliance and/or non-conformance with the prescribed forms as provided in the Annexes of this Bidding Documents will be a ground for disqualification.
5.2	Foreign Bidders must be duly represented by an authorized local representative (any corporate body or commercial company duly organized and registered under the laws of the Philippines or a citizen of the Philippines).
5.3	For this purpose, contracts similar to the Project shall mean "Procurement of Radio and/or Information Communication Technology (ICT) Hardware and/or Software" which must be completed within five (5) years prior to the deadline of the submission and receipt of bids.
7	Subcontracting is not allowed.
10	For foreign bidders, the equivalent document/s issued by the appropriate authority in the country of origin of the bidder concerned must be presented. If said document has no appropriate equivalent, a Certificate of Inexistence of Appropriate Foreign Equivalent may be submitted. The local representative of Foreign Bidders shall also submit PhilGEPS
	Certificate of Registration (Platinum Membership), or a Valid and Current Proof of Authority issued by the foreign bidder (in case the authorized local representative is an individual). In case of a Joint Venture, each JV partner shall submit the required Legal Documents.
12	For the given scope of work in this Contract as awarded, all bid prices are considered fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances and upon prior approval of the GPPB in accordance with Section 61 of R.A. 9184 and its IRR.
12.1	The price of the Goods shall be quoted Delivered-Duty-Paid (DDP) to be delivered at: OG2 , PA – Annex , Fort Bonifacio , Metro Manila , Philippines .
14.1	 The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts: a. The amount of not less than One Million Eight Thousand Pesos (PhP1,008,000.00) which is equivalent to two percent (2%) of ABC, if bid security is in cash, cashier's/manager's check, bank draft/guarantee or irrevocable letter of credit; or b. The amount of not less than Two Million Five Hundred Twenty Thousand Pesos (PhP2,520,000.00) which is equivalent to five percent (5%) of ABC, if bid security is in Surety Bond.

	is	he bid security shall be payabl in the form of a manager's che ficer, Finance Center, PA.			
		der shall submit one (1) origir nd components of its bid with			irst
15	au Ar rej	he Bid shall be signed on ev thorized representative/s of t ny document that was not sig presentative/s of the bidder sh	the bidder to in ned and/or init nall be a ground	nclude all photocopie ialed by the authoriz d for disqualification.	es. ed
18		ion from the DTI if the Bidd Domestic Entity.	er claims pref	erence as a Domes	stic
		ect shall be awarded as one of	ontract.		
		Description	Qty	ABC (Pesos)	
		Fixed Site	QLY	ADC (1 6303)	
	Antenna	IHz Fixed-Site Adcock a	3		
	RDF Receiver & Watson-Watt DF Bearing Processor		3		
		ware (Network Version w/	3		
40.0	Mapma	ker Software	3		
19.3		del DGP-16HV	3		
	Rugged	lized Case	3	50,400,000.00	
		Mobile RDF	·		
	65-1000MHz Mobile Adcock DF		6		
	Antenna		v		
		ceiver & Watson-Watt DF	6		
		Processor			
		ware (Stand Alone)	6		
		ker Software	6		
		del DGP-16HV	6	-	
		lized Case	6		
		alification Requirements: In			
	2016 Revised IRR of RA No 9184, the Bidder shall submit the following				
	documents within a non-extendible period of five (5) calendar days from receipt of the notice from the BAC that it is the LCB/SCB:				
20.2	TAB	Additional Post C	ualification Re	quirements	
		Valid and updated PhilGEPS			
	A Membership) in accordance with Section 8.5.2 of the revised IRR of RA No. 9184 (updated 15 April 2023) and GPPB				
	Resolution 15 - 2021 dated 14 October 2021.				
	B	Attachments of PhilGEPS (F	rlatinum) Regis	stration	

	 Registration Certificate from Securities and Exchange Commission (SEC) for corporations, Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document Current and valid Mayor's Permit or Business Permit issued by the local government where the principal place
	 of business of the bidder is located Tax Clearance Certificate per Executive Order 398,
	 Series of 2005 Latest Audited Financial Statement showing, among others, the prospective bidder's total and current assets and liabilities stamped "received" if manually filed or "attachment of system generated Transaction
	Reference Number and email to the system user" if electronically filed issued by the Bureau of Internal Revenue or its duly accredited and authorized institutions, for the preceding calendar year which should not be earlier than two (2) years from the date of bid submission.
С	Latest Income and Business Tax Returns filed and paid through the BIR Electronic Filing and Payment System (eFPS). The latest income and business tax returns are those within the last six (6) months preceding the date of bid submission.
D	Supporting documents for the Ongoing Government/Private Contracts: 1. Notice of Award, and/or Notice to Proceed, and/or Purchase Order, and/or Contract, or equivalent document issued by the end-user
E	 Supporting documents for the Single Largest Completed Contract: 1. Notice of Award, Notice to Proceed, Purchase Order or Contract, or equivalent document issued by the end-user; and 2. Certificate of Completion OR Technical Inspection and Acceptance Committee (TIAC) Report, OR Official Receipt (duplicate or triplicate copy), OR Sales Invoice with Collection Receipt (duplicate or triplicate or triplicate copy), AND End-User's Acceptance or its equivalent provided that the same expressly states that the Goods were received in good condition.
F	Certificate of Notarial Commission of the lawyer who notarized the documents submitted by the bidder
G	Company Profile (Organization, Affiliated Companies, Production Capability)
Н	Vicinity map/location of the business
I	Certificate from HAFPPS that Bidder is not Blacklisted and has no overdue deliveries if not submitted during bid opening
Note:	

	• Failure to submit the following requirements on time or a finding against the veracity of such shall be ground for the forfeiture of the bid security and disqualify the bidder for award.
21.1	 Additional Contract Document/s: Applicable to Foreign Bidders: a. The equivalent to the above-enumerated Class "A" documents issued by country or place of business, in English shall be submitted. If not in English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, all said documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid; AND b. SEC Certificate of Registration of the Foreign Corporation, or the SEC Certificate of Registration of the Foreign consulting firm, and/or the authority or license from the appropriate Government Agency or Professional Regulatory Body of the Foreign Professionals engaging in the partice of Award, pursuant to GPPB Resolution No 25-2019 dated 30 October 2019. Note: For the Local representative of the foreign bidder: It must likewise submit and present Registration Certificate from the Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or CDA for cooperatives; and, its Valid and current Mayor's/Business permit issued by the local government where the principal place of business of the bidder is located.
	partners must present/submit the above documents.

Section IV. General Conditions of Contract

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract** (**SCC**).

2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than prior to the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify

the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of the Contract

GCC	
Clause	
	Delivery and Documents – For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:
	For Goods Supplied from Abroad: The delivery terms applicable to the Contract are "Delivered-Duty-Paid" (DDP) at OG2, PA – Annex, Fort Bonifacio, Metro Manila, Philippines in accordance with INCOTERMS.
	<i>For Goods Supplied from Within the Philippines:</i> "The delivery terms applicable to this Contract are " Delivered-Duty-Paid " (DDP) at OG2, PA – Annex, Fort Bonifacio, Metro Manila, Philippines ". Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.
	Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI. Schedule of Requirements .
	The details of shipping and/or other documents to be furnished by the Supplier are as follows:
	<i>For Goods supplied from within the Philippines:</i> Upon delivery of the Goods to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents to the Procuring Entity:
	 Original and four copies delivery receipt/note, railway receipt, or truck receipt; Original Supplier's factory inspection report; Original and four copies of the Manufacturer's and/or Supplier's warranty certificate; Original and four copies of the certificate of origin (for imported Goods); Delivery receipt detailing number and description of items received signed by the authorized receiving personnel; and Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.
	For Goods supplied from abroad:

i (r L E	Upon shipment, the Supplier shall notify the Procuring Entity and the insurance company by cable the full details of the shipment, including Contract Number, description of the Goods, quantity, vessel, bill of lading number and date, port of loading, date of shipment, port of discharge etc. Upon delivery to the Project Site, the Supplier shall notify the Procuring Entity and present the following documents as applicable with the documentary requirements of any letter of credit issued taking precedence:
	 Original and four copies of the Supplier's invoice showing Goods' description, quantity, unit price, and total amount; Original and four copies of the negotiable, clean shipped on-board bill of lading marked "freight pre-paid" and five copies of the non-negotiable bill of lading; Original Supplier's factory inspection report; Original and four copies of the Manufacturer's and/or Supplier's warranty certificate; Original and four copies of the certificate of origin (for imported
	 Goods); Delivery receipt detailing number and description of items received signed by the Procuring Entity's representative at the Project Site; and Certificate of Acceptance/Inspection Report signed by the Procuring Entity's representative at the Project Site.
	For purposes of this Clause the Procuring Entity's Representative at the Project Site is: PA TIAC; APAO; OG10, PA.
	Incidental Services – The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:
	 furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in start-up, operation, maintenance, and/or update of the software.
	The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
	Packaging – The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final

destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the GOODS' final destination and the absence of heavy handling facilities at all points in transit.
The packaging and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.
The outer packaging must be clearly marked on at least four (4) sides as follows:
Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
The packaging and documentation shall be in accordance with the manufacturer's standard.
Insurance – The Goods supplied under this Contract shall be fully insured by the Supplier in a freely convertible currency against loss or damage incidental to manufacture or acquisition, transportation, storage, and delivery. The Goods remain at the risk and title of the Supplier until their final acceptance by the Procuring Entity.
Transportation – Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price. Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines,

	including insurance and storage, as shall be specified in this Contract,
	shall be arranged by the Supplier, and related costs shall be included in the Contract Price.
	Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available, but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered <i>force majeure</i> .
	The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP Deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	Intellectual Property Rights –
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.
	Payment shall be made by Check for local Supplier, or through irrevocable Letter of Credit (LC) in case of foreign supplier/manufacturer.
	In case payment shall be made by LC, the Procuring Entity shall open the irrevocable LC in favor of the Supplier in accordance with the terms provided below in an Authorized Government Depository Bank after the approval of the Contract by the HOPE and cash transfer from the PA to the Authorized Government Depository Bank, to wit:
2.2	a. Mode of Transmission: Full cable telex/S.W.I.F.T;
	 Advising and/or Confirmation: LC may be advised and/or confirmed by any bank to be identified by the Supplier, at the latter's sole expense;
	 c. Payee Bank: The LC draft (if any) shall be drawn on the confirming bank;
	 d. Beneficiary: [Insert name and address of Supplier with Point of Contact];

	 e. Currency and Amount of LC: LC shall be in Philippine Peso, in an amount equivalent to the Total Contract Price. The 95% of the amount of LC shall be released upon completion of all the required documents enumerated in SCC Clause 2.2(g) of the Bidding Documents and the 5% shall be released upon expiration of the warranty period provided in SCC Clause 5.1 in the Bidding Documents; f. Expiration Date: One Hundred Fifty (150) calendar days from issue date of the L/C; g. The terms of payment shall be as follows: "One Time Payment" to the Supplier at the time of the final acceptance of the Goods by the Procuring Entity made in accordance with Section VI. Schedule of Requirements, and the submission or presentation of the following documents: i. Supplier's invoice showing Goods' description, quantity, unit price, and total amount; ii. Negotiable, clean shipped on-board Bill of Lading marked "Freight Pre-Paid" and/or "Non-Negotiable Bill of Lading" or "Airway Bill"; iii. Original Supplier's factory inspection report or certificate of pre-delivery test and inspection report by PA TIAC (as applicable); iv. Manufacturer's and/or Supplier's warranty certificate; v. Certificate of Origin (for imported GOODS); vi. Delivery Receipt detailing number and description of items received signed by the Procuring Entity's representative at the Delivery Site; vii. Certificate of Acceptance by the PA Technical Inspection and Acceptance Committee (PA TIAC). Note: Payments shall be made only upon a certification by the HoPE to the effect that the Goods have been rendered or delivered in accordance with the prescribed delivery schedule of this Contract
	and have been duly inspected and accepted .
3	If the Performance Security is in the form of a Surety Bond, it must be in the name of the Philippine Army/AFP, and its validity must be until the issuance by the Procuring Entity of the Certificate of Final Acceptance. The Surety Bond must be duly notarized and signed by the Supplier's authorized representative indicating therein his/her full name.
4	 The inspections and tests that will be conducted are: A. POST-QUALIFICATION involving documents validation, testing and/or manufacturer's plant visit and inspection shall be conducted by the Procuring Entity or its designated representatives (PQ Team) in order to determine the compliance to the requirements of the end-user as required in the bidding documents. Expenses incurred related hereto particularly

travel and board and lodging expenses shall be borne by the Procuring Entity.

Considering the travel restrictions brought by COVID-19 outbreak, the alternative PQI may be conducted through "table post qualification" and/or by VTC or other electronic means; and the adoption of previous PQ Reports with independent referencing within the six (6) months validity period.

Conduct of Post Qualification abroad is subject to the issued guidelines regarding Foreign Travel of Public Official/Officers during State of Calamity or Implementation of Community Quarantine or Similar Restrictions. Considering restrictions for foreign travel during the quarantine period, the Procuring Entity or PQ Team may conduct "table post qualification" within the office, or utilize the Office of the Philippine Defense and Armed Forces Attaché (OPhiIDAFA) of the country where the foreign bidder/proponent is based to conduct post qualification.

B. FINAL INSPECTION AND ACCEPTANCE will be at the Delivery Site. Completeness and appropriateness of the delivered goods, visual inspection and/or random sampling based on the required test criteria and list of required samples shall be conducted by the Procuring Entity's representative (PATIAC) at the delivery site at the soonest time possible. Expenses incurred related hereto particularly travel and board and lodging expenses shall be borne by the Procuring Entity. After completion of the inspection, the inspection team shall furnish the following reports:

- 1. Final Inspection and Acceptance Report by the TIAC;
- 2. OG10, PA Inspection Report;
- 3. SAO/APAO Acceptance Report;

Correction of Defects:

a. During TIAC Inspection:

a.1. For items delivered within the delivery period, the Supplier shall be allowed to correct defects within 30 calendar days upon receipt of written Notice from the PAPC or within the remaining days of the delivery period, whichever comes later.

a.2. For items delivered after the lapse of the delivery period, the Supplier shall be allowed to correct defects, subject to the imposition of liquidated damages.

TIAC Non- Acceptance of Goods:

In case items are rejected, the PA TIAC shall issue Certificate of Non Acceptance on the cause of non-compliance of the goods. A corresponding Notice of Non-Acceptance shall then be issued by Philippine Army Procurement Center (PAPC) to the supplier further advising that the period for replacement of defective item is within thirty (30) calendar days from receipt thereof. Supplier shall be allowed to replace rejected items up to two (2) times only.

	In case of rejection, the Supplier shall immediately withdraw the items from the Project/Delivery site. Any loss or damage thereto after such declaration shall be the sole responsibility of the Supplier.
	Supplier shall be subjected to blacklisting due to termination by default.
	The warranty shall be covered by, either retention money in an amount equivalent to five percent (5%) of the contract price, or a special bank guarantee equivalent to five percent (5%) of the Contract Price in favor of the Armed Forces of the Philippines.
5.1	The warranty period shall be one (1) year after acceptance by the Procuring Entity of the Delivered Goods.
	The Obligation for the warranty shall only be released after the lapse of the warranty period.
	The goods to be delivered must have been manufactured not more than one (1) year from the date of delivery.
5.2	The period for repair or replacement for the defective goods or parts thereof in the warranty period shall be within Thirty (30) Calendar Days upon receipt of notice from the Procuring Entity of any claim arising from the warranty obligation of the supplier. The Procuring Entity through the TIAC may invoke for warranty claims for the Goods or any part thereof that fail to conform to the specifications within the warranty period. The Supplier shall either rectify or replace such defective Goods or parts thereof or make alterations necessary to meet the specifications at no cost to the Procuring Entity, and shall inspect the rectified/replaced goods, at no cost to the Procuring Entity, upon giving a notice pursuant to GCC Clause 5.2.
6	If the Supplier fails to satisfactorily deliver any or all of the Goods and/or to perform the Services within the period(s) specified in this Contract inclusive of duly granted time extensions if any, the Procuring Entity shall, without prejudice to its other remedies under this Contract and under the applicable law, deduct from the Contract Price, as liquidated damages, the applicable rate of one tenth (1/10) of one (1) percent of the cost of the unperformed portion for every day of delay until actual delivery or performance. In case the total sum of liquidated damages reaches ten percent (10%) of the total contract price, the Procuring Entity concerned may rescind the contract and impose appropriate sanctions over and above the liquidated damages to be paid.

Section VI. Schedule of Requirements

Description	Qty	DELIVERY PERIOD	DELIVERY PLACE
Fixed Site			
75-520MHz Fixed-Site Adcock Antenna	3		
RDF Receiver & Watson-Watt DF Bearing Processor	3		
DF Software (Network Version w/ 3 sites)	3		
Mapmaker Software	3		
GPS Nodel DGP-16HV	3		
Ruggedized Case	3		
Mobile RDF	1		
65-1000MHz Mobile Adcock DF Antenna	6		
RDF Receiver & Watson-Watt DF Bearing Processor	6		
DF Software (Stand Alone)	6	-	
Mapmaker Software	6	One Hundred	
GPS Nodel DGP-16HV	6	Twenty (120)	OG2, PA – Annex, Fort Bonifacio, Metro
Ruggedized Case	6	Calendar Days upon	Manila, Philippines
 furnishing of a detailed operand maintenance manual for appropriate unit of the second s; performance or supervisi maintenance and/or repair supplied Goods, for a period provided that this service second provided that this second provided that this service second provided that this sec	on or of the of time nall not arranty ct; and Entity's	receipt of NTP	
- Project Documentation			

Section VII. Technical Specifications

TO: CO THRU: A			CT: Procurement on Finder System		
	ERON	Statement of the local division in the local		And the second se	39
		M: ACS	Datejiji 2 7 2027 LTC ELORETA/jgb/	CMT Nr: 6171	
			1 sind	X	
			G2_4	0)01 2022	
SUMMAR	v.				
	analy and				
1.	References:				
			ual Procurement Pla ecifications for RMDF		
Procureme obsolete of technical s that the F	tion Finder (RMD ent Conference f due to latest tecl specifications revi RMDF to be pro	F) System during for RMDF found of hnology developr ised the previously	orking Group (TWG) the TWG conferenc out that some of the ment. Hence, the T y approved technical the latest technolog essor.	e in preparation fo specifications an NG after reviewir specifications to e	r Pre e nov ig the nsur
3.	G2 recommer	nds approval of th	e revised Technical	Specifications of F	MDF
RECOMM	ENDATION:				
4.	Approval of a	nd signature on th	GALIDO	echnical Specifica	tions
			APPROV DATE:	DI DISAPPRON	10

HEADQUARTERS PHILIPPINE ARMY OFFICE OF THE ASSISTANT CHIE:F OF STAFF FOR INTELLIGENCE, G2, PA Fort Andres Bonifacio, Metro Manila

TECHNICAL SPECIFICATIONS

Radio Monitoring Direction Finder (RMDF) System

General Requirements:

The Radio Monitoring Direction Finder System can search, intercept, detect and monitor, analyze and classify, demodulate, record, and decode and identify radio communication networks. It classifies, demodulate, and decodes signals and displays the results in real-time. The system also takes bearings on emitters and visualizes their locations on a digital map. Furthermore, it is possible to perform surveillance on known emitters and record digital audio.

Logistics Requirements:

A. Wideband Receiver and DF Processor Specifications (For Both Fixed and Mobile Stations)

1. Wideband Receive	er				
PARTICULARS	MINIMUM R	EQUIREMENTS			
Frequency Coverage:		0.010000-821.999999, 851.000000-866.999999, 896.000000-3000.000000 MHz			
Antenna Connector	Multiple (Type-N 50 ohms – 0.01-3000 MHz; PL-259 50 ohms – 0.01-30 MHz; RCA 50 ohms – 0.01-30 MHz)				
Modes	USB, LSB, CW, FSK, AM	USB, LSB, CW, FSK, AM, FM, WFM, Digital ((D-STAR, P25 Phase 1, NXDN, dPMR, DCR)			
Number of Channels	At least 2000 regular chan				
Scan Types	Programmed, memory, mode, auto memory write,	Programmed, memory, selected memory, selecte mode, auto memory write, priority scan			
	0.010-29.999 MHz	Direct sampling			
	30.000499.999 MHz	Double superheterodyne (IF: 778.7, 46.35 MHz)			
	500.000–1099.999 MHz	Double superheterodyne (IF: 278.7, 46.35 MHz)			
Receiver System	1100.000–1499.999 MHz Triple superheterodyne (I 900–500.000001, 278. 46.35 MHz)				
	1500.000–3000.000 MHz Triple superheterodyne 1000–500, 278.7, 4 MHz)				
Cala ativity	LSB/USB/FSK (BW: 2.4 KHz)	More than 2.4 kHz/–3 dB Less than 3.6 kHz/–60 dB			
Selectivity	CW (B'W: 500 Hz) More than 500 Hz/- Less than 700 Hz/-				



	AM (BW: 6 kHz)	More than 6.0 kHz/-3 dB
		Less than 15.0 kHz/-60 dB
	FM (BW: 15 kHz)	More than 12.0 kHz/–6 dB Less than 25.0 kHz/–60 dB
	WFM	More than 180 kHz/–6 dB
Audio Output Power:	At least 2.0 watts (8 oh	
Audio Output Power: Power Requirements:		Iz (with power supply unit for othe
rower Requirements.	Voltages on DC)	12 (with power supply unit for othe
Over and Reverse Voltage Protection	Zenner Diode with rese	ettable fuse
Operating temperature range	At least -10 °C to +60 °	°C; 14 °F to 140 °F
Dimension:	Not more than 9"x5"x1 (Width x Height x Dept	0" (22.86cm x 12.7cm x 25.4cm h)
Weight:	Not more than 10lbs (4	.53kg)
2. Direction Finder (DF)	Processor	
PARTICULARS		M REQUIREMENTS
DF Technique	Single Channel Watson	n-Watt
DF Processing	Software defined	
Frequency Coverage	Dependent on the Rec	eiver and DF Antenna
Bearing Accuracy	0.5 ⁰ RMS	
Bearing Resolution:	0.1 ⁰	
Receiver Signal Interface	10.7 MHz IF (standard)	
Format	3.5-52.0 MHz (program	imable)
IF Bandwidths:	6/15/30/200 kHz	
Bearing Integration:	35/50/80/160/200/275/	
Track and Hold	At least 3 sec nominal	
Interface (to host computer)	gateway for receiver, C	
Power Requirements:	100V-240V AC, 50/60F Voltages on DC)	Iz (with power supply unit for othe
Over and Reverse Voltage Protection	Zenner Diode with rese	ettable fuse
Durability	MILSTD-810	
Dimension:	Not more than 3"x7"x7 (Height x Width x Dept	" (7.62cm x 17.78cm x 17.78cm h)
Weight:	Not more than 4lbs (1.8	

B. Antenna Specification for Fixed Mobile Stations

1. Fixed DF Antenna	
PARTICULARS	MINIMUM REQUIREMENTS
DF Technique:	Single-channel 2-phase Adcock
Frequency Coverage:	75-300/300-520 MHz
Bearing Accuracy:	2° RMS (VHF) 2.5° RMS (UHF)
Polarization:	Vertical
Output Impedance:	50 ohms nominal



2 nd Order Intercept:	+25/+36 dBm typical (V/UHF; reference to derived sense input)			
3 rd Order Intercept:	+15/+25 dBm typical (V/UHF; reference to derived sense input)			
Power Requirements	At least 12-24 VDC			
Durability	MILSTD-810			
Dimensions:	Not more than 110"x16'x16' (279.4cmx40.64cmx40.64cm) (Less cables and mast)			
Weight:	Not more than 50lbs (22.7kgs) (including cables less mast)			
2. Mobile DF Antenna				
PARTICULARS	MINIMUM REQUIREMENTS			
DF Technique:	Single-channel 2-phase Adcock			
Frequency Coverage:	20-75/75-200/200-512/512-1,000 MHz			
Bearing Accuracy:	3° RNIS (VHF) 5° RNIS (UHF)			
Polarization:	Vertical			
Output Impedance:	50 ohms nominal			
2 nd Order Intercept:	+25 cBm (20-75 MHz) +40 cBm (75-200 MHz) +36 cBm (200-512 MHz) +25 cBm (512-1,000 MHz)			
3 rd Order Intercept:	+15 cBm (20-75 MHz) +25 cBm (75-200 MHz) +25 cBm (200-512 MHz) +12 cBm (512-1,000 MHz)			
Power Requirements	At least 12-24 VDC			
Durability	MILSTD-810			
Dimensions:	Not more than 27"x23"x23" (68.58cm x 58.42cm > 58.42cm) (Less cables)			
Weight:	Not more than 14lbs (6.35kgs) (Less cables)			

C. Workstation Specification for the Mobile RDF Stations

PARTICULARS	MINIMUM REQUIREMENTS			
Durability	MIL-\$TD-810G certified			
Display	At least 14" HD			
Battery	At least Up to 10hrs			
Processor	At least Intel Core i7			
RAM	At least 16GB			
Storage At least 512GB				
Operating System Windows 10 Pro				
Main Application Radio Direction Mapping Software				



TEST AND ACCEPTANCE PROCEDURE

1. OBJECTIVES:

1.1. To determine the functional reliability of the RMDF.

1.2. To determine the stability of the RMDF when subjected to adverse field operational conditions.

1.3. To ascertain compliance to standards and specifications.

2. GUIDELINES:

2.1. The supplier shall ensure the completeness of the quantity of items stated in the contract.

2.2. Technical inspection and test shall be done on all RMDF systems.

2.3. Functional Test will be done to determine the functional performance of the RMDF.

2.4. Results obtained shall be recorded and evaluated to determine the compliance of the items to technical specifications and as basis for acceptance or rejection of the goods.

3. PROCEDURES:

3.1. COMPLETENESS INSPECTION:

The Technical Inspection and Acceptance Committee (TIAC) shall check the completeness of the systems delivered. All systems shall be accounted and properly packed with appropriate mark ngs.

3.2. TEST AND ACCEPTANCE TRIAL PROCEDURES:

The following test and trial procedures shall guide both the PA TIAC in ensuring that the equipment delivered are compliant with all technical specifications. These procedures shall be conducted after delivery of the system in the presence of both the Philippine Army and the Supplier or their duly designated representatives.

3.2.1. VISUAL INSPECTION:

3.2.1.1. FOR THE PACKAGING:

3.2.1.1.1. Purpose: This non-destructive test shall be performed to determine the overall workmanship, conformity to technical specifications of the packaging and its markings to ensure that the inspected item shall be free from defects and meet the requirements of the Philippine Army.

3.2.1.1.2. Procedures:

3.2.1.1.2.1.	Visually check the packaging.
3.2.1.1.2.2.	Inspect the presence and appropriateness of the

markings.

3.2.1.1.2.3. Inspect for signs of deterioration, condition of handles, loose, missing, or incorrect positioned parts.

Honor. Patriotism. Duty

P

3.2.1.1.2.4. Check for the compliance of the packaging material using appropriate instruments that will precisely identify the composition of the materials. In the absence of facility or equipment, a certification or manufacturing test result shall be provided.

3.2.1.1.2.5. Record all observations.

3.2.1.1.3. Standards: The packaging shall be free from defects as stated in the Visual Inspection – Packaging - Procedures.

3.2.2. WEIGHT AND DIMENSIONAL INSPECTION:

3.2.2.1. Purpose: This test shall be performed to determine compliance of the RDMF equipment to the provided weight and dimensional requirement in the technical specifications of the Philippine Army.

3.2.2.2. Procedures:

- 3.2.2.2.1. Measurement of equipment through physical means.3.2.2.2.2. Record the weight and dimensions.
- **3.2.2.3. Standard:** The RMDF equipment shall be free from defects as stated in the **Weight and Dimensional Inspection Procedures.**

3.2.3. PERFORMANCE TESTS:

A series of tests shall be performed to ensure that the RMDF equipment will efficiently function and perform accordingly based on the established standards and specifications when subjected to various operational conditions.

3.2.3.1. HARDWARE SPECIFICATION:

3.2.3.1.1. Purpose: This test shall be performed to ascertain the compliance to the hardware components of the system which includes the Monitoring Systems, DF System, Antenna and Workstations.

3.2.3.1.2. Procedures:

3.2.3.1.2.1. Verify mechanical completeness of units (switches, indicators and displays are not bent or broken).

3.2.3.1.2.2. Power-up the Monitoring System, DF Processor and Operator Workstation/Computer and read the application software version and record.

3.2.3.1.2.3. Record all observations.

3.2.3.1.3. Standard: The RMDF equipment shall be free from defects as stated in the Hardware Specification – Procedures.

3.2.3.2. DIRECTION FINDING TEST:

3.2.3.2.1. Purpose: This test shall be performed to determine and verify proper detection and direction finding. The test is performed by injecting signal to the system and using a Direction of Arrival (DOA) simulator. The DOA simulator is built for simulating reception from a known direction.

Test equipment.

- Signal Generator
- DOA Simulator, 4 channels
- DF RFU
- DF Controller

3.2.3.2.2. Procedures:

3.2.3.2.2.1. Ensure all devices are in working status.

3.2.3.2.2.2. Verify that the following scan missions table is empty and create new missions for following search table as following:

Mission Number	Start Frequency	Stop Frequency	Pass	Fail
1	50 MHz	60 MHz		
2	175 MHz	1850 MHz		
3	285 MHz	295 MHz		
4	315 MHz	325 MHz		
5	875 MHz	885 MHz		
6	1295 MHz	1305 MHz		
7	2095 MHz	2105 MHz		
8	2985 MHz	2995 MHz		
9	30 MHz	3000 MHz		

3.2.3.2.2.3. Generator is OFF. Activate following mission #1 to #9 while Signal

3.2.3.2.2.4. Activate following mission #1 to #9 while Signal Generator is set to different frequency signal level and strength (dBm).

3.2.3.2.2.5. Record all observations.

3.2.3.2.2.6. This test shall be carried out simultaneously with the Monitoring and Recording Tests.

3.2.3.2.3. Standard: The RMDF equipment shall be free from defects as stated in the Direction Finding Test - Procedures.

3.2.3.3. MONITORING AND RECORDING TEST:

3.2.3.3.1. Purpose: This test shall be performed to ascertain the ability of the RMDF equipment to monitor, record and replay audio produced from fixed frequency transmissions.

Test equipment.

- SIGNAL Generator
- COMINT RFU
- COMINT Computer
 - Speakers & Operator Computer

3.2.3.3.2. Procedures:

3.2.3.3.2.1.Ensure all equipment are in working status.**3.2.3.3.2.2.**Set the following mission:



Mission#	Frequenc y (MHz)	Priority	MOD	Signal	BW	Pass	Fail
1	31.25	Medium	FM	1 KHz tone	12.5		
2	299.025	Medium	AM	1 KHz tone	25		
3	499.025	Medium	FM	White noise	50		
4	509.025	Medium	AM	1 KHz tone	100		
5	999.025	Medium	FM	White noise	200		

3.2.3.3.2.3.Set the signal generator based on the mission, frequency,
modulation, signal, and bandwidth. Monitor and record accuracy of the given mission.3.2.3.3.2.4.Record all observations.

3.2.3.3.3. Standard: The RMDF equipment shall be free from defects as stated in the Monitoring and Recording Test – Procedures.

4. Functional Testing Parameters and Procedures:

4.1 Functionality

4.1.1 Purpose: To determine if the system specifications and functionality of the RMDF and its interface on laptop.

4.1.2 Equipment Needed: Laptop

4.1.3 Procedures:

- 4.1.3.1 Switch on the RMDF
- 4.1.3.2 Check the RMDF equipment's general information
- 4.1.3.3 Perform RMDF equipment's test/operations.
- 4.1.3.4 Features in the functional test checklist must all be enabled
- A. Sensor Specifications (For Both Fixed and Mobile Stations)

PARTICULARS	MINIMUM REQUIREMENTS	Pass	Fail
DF Technique:	Single-channel Watson-Watt		
Frequency Coverage:	0.04-3,150MHz (subject to frequency limitations of attached DF antenna)		
RF Input Impedance:	50 ohms nominal		
IF Bandwidths:	6/15/30/200 kHz		
Audio Output Power:	1.5 watts into 8 ohms		
Audio Frequency Response:	250-3300 Hz nom. @-3 dB (measured at headset jack)		
Bearing Displays:	Real-time 360 ⁰ polar TFT and 31/2-digit numeric displays		
Bearing Accuracy:	0.5 ^o RMS (using 160 milli-second bearing integration)		



×

By 2028, a world-class Arm y that is a source of national pride.

Bearing	0.5%/0.1%	
Resolution:		
Bearing Integration:	35/50/80/160/200/275/400 ms	
Interface (to host computer)	data string includes embedded data from receiver, GPS, & compass	
Power	100V-240V AC, 50/60Hz (with power	
Requirements:	supply unit for other Voltages on DC)	
Over and Reverse Voltage Protection	Zener Diode with resettable fuse	
Operating Temp:	0°C to +50°C	
Storage Temp:	-20°C to +60°C	
Humidity:	0-95% (no condensation)	
Dimensions:	Not more than 7"x21"x15" (17.78cm x	
	53.34cm x 38.1cm)	
	(Width x Height x Length)	
Weight:	Not more than 15lb (6 80kg)	

B. Antenna Specification (For Both Fixed and Mobile Stations)

PARTICULARS	MINIMUM REQUIREMENTS	Pass	Fail
DF Technique:	Single-channel 2-phase Adcock		
Frequency	20-75/75-200/200-512/512-1,000 MHz		
Coverage:			
Bearing	3º RMS (VHF)		
Accuracy:	5° RMS (UHF)		
Polarization:	Vertical		
Output	50 ohms nominal		
Impedance:	+25 dBm (20-75 MHz)		
	+40 dBm (75-200 MHz)		
	+36 dBm (200-512 MHz)		
	+25 dBm (512-1,000 MHz)		
2 nd Order	+15 dBm (20-75 MHz)		
Intercept:	+25 dBm (75-200 MHz)		
	+25 dBm (200-512 MHz)		
	+12 dBm (512-1,000 MHz)		
3 rd Order	11-16 VDC @440 mA		
Intercept:			
Operating	-40°C to +70°C		
Temperature:			
Humidity:	0-100%		
Dimensions:	Not more than 27"x23"x23" (68.58cm x		
	58.42cm x 58.42cm) (Less cables)		
Weight:	Not more than 14lbs (6.35kgs) (Less Cables)		

C. Workstation Specification for the Mobile and Fixed RDF Stations

PARTICULARS	MINIMUM REQU	JIREMENTS	Pass	Fail
Durability	MIL-STD-810G certified			
Display	At least 14" HD			
	Honor.	Patriotism. Duty		

Battery	At least Up to 10hrs	
Processor	At least Intel Core i7	
RAM	At least 16GB	
Storage	At least 512GB	
Operating System	Windows 10 Pro	

5. ACCEPTANCE AND REJECTION:

The supplier shall comply with all certifications and documentary requirements. Failure shall cause rejection.

Acceptability of goods shall be determined by using the parameters based on Visual Inspection, Weight and Dimensional Inspection, Performance Test and Functionality Test.

6. RESULT:

The result of the test based on the above criteria shall be the basis of the Philippine Army Technical Inspection and Acceptance Committee (PA-TIAC) in the acceptance or rejection of the goods/items. The RMDF tested shall manifest compliance to each of the parameters indicated in the technical specification.

Noted by:

Prepared by:

MARC JASON S TAAY Captain (MI) PA TWG Technical Officer	FERDINAND C MARIANO Lieutenant Colonel (MI) PA TWG Chairperson
EDMUND PAUL R DELOS SANTOS Colonel GSC (MI) PA AC of S for Intelligence, G2, PA	
Hond	or. Patriotism. Duty

Section VIII. Checklist of Technical and Financial Documents

TAB	I. TECHNICAL COMPONENT ENVELOPE
	Class "A" Documents
Legal	Documents:
A	Valid and updated PhilGEPS Registration Certificate (Platinum Membership) in accordance with Section 8.5.2 of the revised IRR of RA No. 9184 (updated 15 April 2023) and GPPB Resolution 15 - 2021 dated 14 October 2021.
Techn	nical Documents:
	Duly signed Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid (Annex 1) ;
В	 Note: The bidder may make a reservation under oath in a notarized document not to disclose the name of its client on the ground of an existing confidentiality agreement but must disclose the amount, status, and name of the project for purposes of validating the NFCC, subject to the full disclosure during post-qualification. In this connection, the bidder may keep the name of the client from the statement of ongoing contracts.
С	Statement of the bidder's Single Largest Completed Contract (SLCC) of similar nature within the last five (5) years from the date of the Receipt and Opening of Bid Envelope. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to: a. For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC; or b. The Bidder should comply with the following requirements: i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent to at least fifty percent (50%) in the case of non-expendable supplies of the ABC for this Project; and ii. The largest of these similar contracts must be equivalent to at least half of the percentage of the ABC as required above. (Annex 2) *For this project, "similar contract or project" shall pertain to the Procurement of "Radio and/or Information Communication Technology (ICT) Hardware and/or Software"

Finan	cial Documents:
	The prospective bidder's computation of Net Financial Contracting
	Capacity (NFCC) (Annex 3-A); <u>or</u>
	A Committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation (Annex 3-B) .
	*Should the bidder opt to submit NFCC, computation must be at least equal to the ABC to be bid, calculated as follows. NFCC = [(Current assets minus current liabilities) (15)] minus the value of all ongoing contracts, including awarded contracts yet to be started.
D	 * The values of the domestic bidder's current assets and current liabilities shall be based on the latest Annual Income Tax Return and Audited Financial Statements filed thru eFPS. * For foreign bidders, the value of the current assets and current liabilities shall be based on their latest Audited Financial Statements (AFS) prepared in accordance with international reporting standards. The NFCC computation shall be expressed in Philippine Peso based on the prevailing exchange rate as published in the BSP reference rate bulletin on the date of preparation of the AFS.
	* If the prospective bidder opts to submit a Committed Line of Credit, it must be at least equal to ten percent (10%) of the ABC of the project issued by local universal or commercial bank. The amount of Committed Line of Credit must be Machine Validated . The Committed Line of Credit must be effective or available on the date of the bid submission.
Class	"B" Documents
	Duly signed Joint Venture Agreement (JVA) in case the joint venture is already in existence; <u>or</u>
Е	In the absence of a JVA, duly Notarized Statement/s from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful. Failure to enter into a joint venture in the event of a contract award shall be ground for the forfeiture of the bid security; <u>or</u>
	In case JVA is not applicable, the bidder must submit a duly signed Statement stating that JVA is not applicable in lieu of the foregoing (Annex 4) .
	*Note: The JVA should be specific to the project including the purpose and all supporting documents related thereto.
F	Bid security in the prescribed form, amount and validity period; <u>or</u> a Notarized Bid Securing Declaration (Annex 5) .
G	1. Conformity with the Schedule of Requirements. (Annex 6-A)

	2. Duly signed Conformance/Statement of Compliance to Technical Bid Form (Annex 6-B) ; Technical Specifications (TS) and other Test and Acceptance Procedure (TAP) (Annex 6-C) .
	Certificate from Armed Forces of the Philippines Procurement Service (AFPPS) that the Bidder is not Blacklisted and has no overdue deliveries; or
н	In the absence of the said Certificate, the Bidder shall submit a proof of application of the same <i>stamped received</i> by AFPPS if manually filed, or <i>acknowledged received</i> by the AFPPS through its official email address: <u>afppsthree@gmail.com</u> if electronically filed.
	*Note: In case of Joint Venture, each JV partner shall submit the Certificate/Proof of Application.
	Notarized Omnibus Sworn Statement (OSS) (Annex 7)
	Proof of Authority of the designated representative/s for purposes of the bidding For Local Bidder:
	a. Duly notarized Special Power of Attorney – For Sole Proprietorship if owner opts to designate a representative/s; OR b. Duly notarized Secretary's Certificate evidencing the authority of the designated representative/s, issued by the corporation, cooperative or the members of the joint venture.
	For Foreign Bidder:
J	a. Valid and Current Written Appointment of the Philippine based company (as local representative of foreign manufacturer) issued by the foreign bidder. The written appointment must include detailed scope of responsibility of the local representative. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification; AND
	b. Duly Notarized authorization of the duly registered Philippine-based company representative (e.g. Secretary's Certificate for Corporation, Special Power of Attorney for Sole Proprietor) with specimen signature of the authorized representative to transact with PA/AFP including address, telephone number, mobile phone number and email address;
	OR
	c. In case the authorized local representative is an individual (citizen of the Philippines), a Valid and Current Written Appointment of the said individual as the local representative issued by the foreign bidder must be submitted. The written appointment must include detailed scope of responsibility of the local representative to transact with specimen signature of the authorized representative to transact with

	PA/AFP, including address, telephone number, mobile phone number, and email address. A Certified True Copy of the Written Appointment may be submitted subject to the presentation of the original document during post qualification.
	Note 1 (for both local and foreign bidders): Provided that in the case of unincorporated joint venture, each member shall submit their respective Special Power of Attorney and/or Secretary's Certificate evidencing the authority of the designated representatives for purposes of this bidding
	Note 2 (for both local and foreign bidders): The Secretary's Certificate, Board Resolution or Special Power of Attorney, or its equivalent document/proof of authority of the designated representative/s for purposes of the bidding, must have a specimen signature of the bidder or its authorized representative; it must indicate in the said document the authority to transact with the Philippine Army/AFP; it must be specific to the project; it must indicate the authority of the bidder/authorized representative to sign the Omnibus Sworn Statement and to do acts to represent the bidder; and it must indicate in the same document the address, telephone number, mobile phone number, and email address of the bidder or its authorized representative. Note 3 (for both local and foreign bidders): In case of Joint Venture, bidder must submit an Original Special Power of Attorney wherein all members of the Joint Venture are signatories, giving full power and authority to the designated representative of the Joint Venture to sign
	the OSS and to do acts to represent the bidder.
K	Warranty Undertaking (Annex 8)
L	Certificate of Replacement for Defective Items (Annex 9).
	Current and valid ISO (9001:2015) or AQAP Certificate in the name of the manufacturer of the goods issued by an independent certifying agency.
М	The validity or scope of the ISO or other certificate must cover the production, design, manufacturing, and inspection of the items subject of the bidding.
N	Colored Manufacturer's Brochure or Literature of the product being offered. Internet downloads may be included to supplement the information contained in the original brochures
0	Supplier's certification that the goods to be delivered have been manufactured not more than one (1) year from the date of delivery.

II.	FINANCIAL COMPONENT ENVELOPE
Α	Duly signed and accomplished Bid Form for the Procurement of Goods (Annex 10-A)
	Duly signed and accomplished Financial Bid Form (Annex 10-B)
В	Duly signed and accomplished Price Schedule(s) (Annex 11).

Bidding Forms

Bidding Forms	Annex Nr
Statement of All On-going Government and Private Contracts including Contracts Awarded but not yet started, if any.	Annex 1
Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least fifty percent (50%) of the ABC	Annex 2
Certificate of Net Financial Contracting Capacity (NFCC)	Annex 3-A
Sample Form for Committed Line of Credit	Annex 3-B
Statement that JVA is not applicable	Annex 4
Bid Securing Declaration	Annex 5
Conformity with the Schedule of Requirements	Annex 6-A
Duly signed statement of compliance to:	
Technical Bid Form;	Annex 6-B
 Technical Specifications (TS);and Test and Acceptance Procedure (TAP) 	Annex 6-C
Omnibus Sworn Statement	Annex 7
Warranty Undertaking	Annex 8
Certificate of Replacement for Defective Items	Annex 9
Duly signed and accomplished Bid Form for the Procurement of Goods	Annex 10-A
Financial Bid Form	Annex 10-B
Bid Prices and applicable Price Schedules	Annex 11

Annex 1

Bidder's Company Letterhead

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

STATEMENT OF ALL ONGOING GOVERNMENT AND PRIVATE CONTRACTS (INCLUDING CONTRACTS AWARDED BUT NOT YET STARTED)

1. All On-going Government Contracts

Name of Contract	Date of Contract	Kinds of Goods	Value Contract	of	Status Contract	of	Date Delivery	of	Purchase Order, Notice to Proceed or Contract
TOTAL									

Total Value of Contract:

2. All On-going Private Contracts

Name of Contract	Date of Contract	Kinds of Goods	Value Contract	of	Status Contract	of	Date Delivery	of	Purchase Order, Notice to Proceed or Contract
TOTAL	-								

Total Value of Contract: _____

CERTIFIED CORRECT:

Name and Signature of Authorized Representative

Position

Annex 2

Bidder's Company Letterhead

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

Statement of Single Largest Similar Completed Contract within the last five (5) years from date of submission and receipt of bids equivalent to at least fifty (50%) of the ABC

Name of Contract	Date of Contract	Kinds of Goods	Value of Contract	Date of Delivery	End-User's Acceptance or Official Receipts
	TOTAL				

CERTIFIED CORRECT:

Name and Signature of Authorized Representative

Position

Date

Procurement of 1 Lot for Radio Monitoring and Direction Finder

Annex 3-A

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

CERTIFICATE OF NET FINANCIAL CONTRACTING CAPACITY

(Please show figures at how you arrived at the NFCC)

This is to certify that our **Net Financial Contracting Capacity (NFCC)** is **Philippine Pesos** _____(P____) which is at least equal to the total ceiling price we are bidding.

The amount is computed as follows: NFCC = (CA-CL)(K)-C

Where:

- CA = Current Assets
- CL = Current Liabilities
- K = 15
- C = value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract for this Project

Issued this _____ day of _____, 2023.

CERTIFIED CORRECT:

Name & Signature of Authorized Representative

Position

Annex 3-B

(Name of Bank) COMMITTED LINE OF CREDIT

Date:_____

ARMED FORCES OF THE PHILIPPINES OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE Fort Andres Bonifacio, Metro Manila

PROJECT :	
COMPANY/FIRM :	
ADDRESS :	
BANK/FINANCING INSTITUTION:	
ADDRESS :	
AMOUNT :	

This is to certify that the above Bank/Financing Institution with business address indicated above, commits to provide the (Supplier/Distributor/Manufacturer), if awarded the above-mentioned Contract, a credit line in the amount specified above which shall be exclusively used to finance the performance of the above-mentioned contract subject to our terms, conditions and requirements.

The credit line shall be available on the date of the submission of bid by the (Supplier/Distributor/Manufacturer) and such line of credit shall be maintained until the project is completed by the Contractor.

This certification is being issued in favor of said (Supplier/Distributor/Manufacturer) in connection with the bidding requirement of (Name of Procuring Entity) for the abovementioned Contract. We are aware that any false statements issued by us make us liable for perjury.

The committed line of credit cannot be terminated or cancelled without the prior written approval of the OFFICE OF THE PHILIPPINE ARMY BIDS AND AWARDS COMMITTEE.

Name and Signature of Authorized Financing Institution Office

Official Designation

Concurred By:

Name & Signature of (Supplier/Distributor/Manufacturer's) Authorized Representative

Official Designation SUBSCRIBED AND SWORN TO BEFORE ME this _____day of _____at _____, Philippines. Affiant exhibited to me his/her competent Evidence of identity as

Procurement of 1 Lot for Radio Monitoring and Direction Finder

defined by the 2004 Rules on Notarial Practice (A.M. No. 02-8-13-SC), issued on ______at _____.

NOTARY PUBLIC

Doc No:_____Page No:_____Book No:_____Series of:_____

Annex 4

(Company Letterhead)

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

This is to certify that ______ (name of bidder) ______ will be participating without a joint venture partner in the procurement of ______ (name of project) _____.

Further, the undersigned acknowledges that **Joint Venture Agreement is Not Applicable** for the above mentioned project.

CERTIFIED CORRECT:

Name & Signature of Authorized Representative

Position

Date

Annex 5

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

BID-SECURING DECLARATION

BID-SECURING DECLARATION Invitation to Bid/Request for Expression of Interest No. 1: (Insert reference number)

To: (Insert name and address of the Procuring Entity)

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid-Securing Declaration.

2. I/We accept that: (a) I/We will be automatically disqualified from bidding for any contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and (b) I/We will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declarations, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1 (b), 34.2, 40.1 and 69.1, except 69.1 (f) of the IRR of RA 9184; without prejudice to other legal action the government may undertake.

3. I/We understand that this Bid-Securing Declaration shall cease to be valid on the following circumstances:

a) Upon expiration of the bid validity period, or any extension thereof pursuant to your request;

b) I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/We failed to timely file a request for consideration or (ii) I/We filed a waiver to avail of said right;

c) I am/were declared as the bidder with the Lowest Calculated and Responsive Bid/Highest Rated and Responsive Bids, and I/We have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We hereunto set my/our hand/s this _____ day of (Month) (Year) at (Place of Execution).

NAME OF BIDDERS AUTHORIZED REPRESENTATIVE (Insert signatory's legal capacity) AFFIANT

[<u>Jurat</u>]

[Format shall be based on the latest Rules on Notarial Practice]

Annex 6-A

SCHEDULE OF REQUIREMENTS

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY BID REF NO. SIG PABAC3 022-22

Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" If proposal meets the technical specifications and project requirements. DO NOT LEAVE ANY BLANK. A "YES OR NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Annex 6-B

STATEMENT OF COMPLIANCE TO TECHNICAL BID FORM, TECHNICAL SPECIFICATIONS, and TEST AND ACCEPTANCE PROCEDURE

The bidder must state in the last column opposite each parameter and required specifications either "Comply" or "Not Comply". All pages shall be properly signed. Bidders must state here either "Comply" or "Not Comply" against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" or "Not Comply" must be supported by evidence in a Bidders Bid and cross-reference to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidders statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the provisions of ITB Clause above goods manufactured by us.

CLARIFICATION AND SETTLEMENT OF CONFLICTING INTERPRETATION OF THE TECHNICAL SPECIFICATIONS

All clarifications regarding the technical specifications stipulated in this section will be clarified by the members of the Technical Working Group. In cases of conflicting interpretations, the nature and purpose of the equipment will be the basis of interpretation. The main basis for technical specifications and requirements is the nature and purpose of the equipment and its intended use as determined by the doctrinal application of the end-users represented herein by the Technical Working Group.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-B (Page 1 of 5)

TECHNICAL BID FORM

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Technical Spe	cifications		Bidder's Statement of Compliance
	Description	Technical Specificatio ns	Test and Acceptance Procedure	
1	Radio Monitoring and Direction Finder	PA SPECS Radio Monitoring Direction Finder (RMDF)	PA TAP Radio Monitoring Direction Finder (RMDF)	
2	Manufacturing Date: Manufacturing d (1) year from the date of delivery	ate should be	not more than or	ne
3	We have no overdue deliveries or ur Philippine Army (PA).	nperformed se	rvices intended f	or
applica	BIDDER the undersigned bidder, having exami able, hereby OFFER to (supply/deliver/p ndertake, if our bid is accepted, to deliv	perform) the at	ng Documents in pove described ite	ems.

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award. Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-B (Page 2 of 5)

TECHNICAL BID FORM

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
4	 DELIVERY: a. Delivery Period: 120 calendar days after Receipt of Notice to Proceed by the supplier, which date shall not be later than seven (7) calendar days from the issuance of NTP: should the supplier fail to comply, the delivery period shall commence. b. Delivery Place: OG2, PA – Annex, Fort Bonifacio, Metro Manila, Philippines c. Delivery must be done in the presence of Philippine Army authorized representatives. 	
	BIDDER'S UNDERTAKING ne undersigned bidder, having examined the Bidding Documents inclu ble, hereby OFFER to (supply/deliver/perform) the above described item	
	she walka if any hid is appared to deliver the items is appared as with th	

I/WE undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-B (Page 3 of 5)

TECHNICAL BID FORM

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
5	 Continuation: DELIVERY: a. The supplier must inform the PAPC at least seven (7) calendar days prior to delivery in delivery place/site. Failure to give due notice shall be a ground for non-acceptance of delivery. b. Deliveries made for "safekeeping" purposes ARE NOT ALLOWED c. Other than the delivery schedule stated above, NO PARTIAL DELIVERIES are allowed. d. During delivery, the Supplier shall be responsible in unloading the items from the container to the designated warehouse of the PA. All costs related to porter services, handling and other related expenses shall be borne by the Supplier. In the absence of material handling equipment at the site, the Supplier shall provide the necessary equipment such as but not limited to: forklifts, hand pallet truck, etc. At the expense of the Supplier. 	
applica I/WE u conditionsecurity	BIDDER'S UNDERTAKING he undersigned bidder, having examined the Bidding Documents including ble, hereby OFFER to (supply/deliver/perform) the above described items. ndertake, if our bid is accepted, to deliver the items in accordance with ons contained in the bid documents, including the posting of the require within ten (10) calendar days from receipt of the Notice of Award. formal contract is prepared and signed, thus bid is binding on us.	h the terms and

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-B (Page 4 of 5)

TECHNICAL BID FORM

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
6	Issuance of End-User Certificate: Pursuant to D4 CMILD-001-2017 dated Jan 26, 2017 issued by the Office of the Deputy Chief of Staff for Logistics, J4, the deadline for submission of End-user Certificate (EUC) requirements shall be within seven (7) Calendar Days upon receipt of Contract/Notice to Proceed (NTP). The letter request shall include as an attachment important documents necessary for the issuance thereof, such as specific template/format required by the foreign government and not by the foreign supplier. Failure on the part of the supplier to submit said requirements within the specified period shall not be used and acknowledge as a valid excuse or justification to warrant the extension of the contract.	
7	Warranty Period: One (1) year after final acceptance which includes full replacement of defective items free of charge.	
8	 b. During TIAC Inspection: b.1. For items delivered within the delivery period, we will correct defects within 30 calendar days upon receipt of written Notice from the PAPC or within the remaining days of the delivery period, whichever comes later. b.2. For items delivered after the lapse of the delivery period, we will correct defects, subject to the imposition of liquidated damages. 	
9	In case of rejection, we shall immediately withdraw the items from the Project/Delivery site. Any loss or damage thereto after such declaration shall be our sole responsibility	
10	Replacement of defective Items upon delivery and Testing of Items: Any defects noted during delivery shall be corrected within Thirty (30) calendar days from receipt of Notice to Replace.	
applicab	BIDDER'S UNDERTAKING ne undersigned bidder, having examined the Bidding Documents includ ole, hereby OFFER to (supply/deliver/perform) the above described items. dertake, if our bid is accepted, to deliver the items in accordance with the	

contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-B (Page 5 of 5)

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY **BID REF NO. SIG PABAC3 022-22** Approved Budget Contract: Php50,400,000.00

TO THE BIDDER: Indicate "COMPLY" if Bidder's Statement of Compliance meets the Technical Specifications (TS), Test Procedures and Acceptance (TAP) and other Project Requirements. DO NOT LEAVE ANY BLANK. A "YES" OR "NO" ENTRY WILL NOT BE ACCEPTED. FAILURE TO CONFORM WILL RESULT IN A RATING OF "FAILED".

Line No.	Additional Requirements to be provided by the Bidder, If awarded the contract	Bidder's Statement of Compliance
	FOR LOCAL MANUFACTURERS:	
11	A. All expenses relative to inspection shall be for the account of the Procuring Entity.	
	B. Acceptance Tests to be conducted as per prescribed Test and Acceptance Procedures (Annex 6- C).	
	BIDDER'S UNDERTAKING	
	e undersigned bidder, having examined the Bidding Documents including Bid le, hereby OFFER to (supply/deliver/perform) the above described items.	d Bulletins, as
	dertake, if our bid is accepted, to deliver the items in accordance with the terms a	

contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of the Notice of Award.

Until a formal contract is prepared and signed, thus bid is binding on us.

Name of Company (in print)

Signature of Company Authorized Representative

Name and Designation

Date

Annex 6-C

TO: CG FROM: ACS Date III 2.7 pm CMT Nr: LTC ELORETAIgb/6171 SUMMARY: 1. References: a. OG2, PA approved Annual Procurement Plan (APP) FY 2022; b. Approved Technical Specifications for RMDF dated 22 Apr 22. 2. In references, the Technical Working Group (TWG) for the Radio Moni and Direction Finder (RMDF) System during the TWG conference in preparation for Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewing technical specifications revised the previously approved technical specifications to e that the RMDF to be procured will have the latest technology specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications of Procure is antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications of R RECOMMENDATION: 5. SUL 2022 Conforme: Bidder's Company Name Signature of Authorized Representative Signature of Authorized Representative	E	3y 2028, a world	-class Army	that is a source of n	ational pride	DATE/TIME: 250 DELIVERED BY: (RECEIVED BY: (
Procurement of Radio Monitoring Direction SUBJECT. Productive full of reduit with the productive function of reduiting the productive function of the reduiting the reduiting the productive function of the reduiting the reduition of the reduiting the reduition of the reduition of the r	DISPOSIT	ION FO	ORM			
THRU: AVC ITC ELORETAIgb/6171 G2 50 JUL CORE SUMMARY: 1. References: a. OG2, PA approved Annual Procurement Plan (APP) FY 2022; b. Approved Technical Specifications for RMDF dated 22 Apr 22. 2. In references, the Technical Working Group (TWG) for the Radio Moni and Direction Finder (RMDF) System during the TWG conference in preparation fo Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewir technical specifications revised the previously approved technical specifications to e that the RMDF to be procured will have the latest technology specifically on receivers, antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specificat Approval of and signature on the attached RMDF Technical Specificat EXEMPLE: DATE: D	Procurement of Radio Mo		SUBJEC		of Radio	Monitoring 1439
1. References: a. OG2, PA approved Annual Procurement Plan (APP) FY 2022; b. Approved Technical Specifications for RMDF dated 22 Apr 22. 2. In references, the Technical Working Group (TWG) for the Radio Moniand Direction Finder (RMDF) System during the TWG conference in preparation for Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewing technical specifications revised the previously approved technical specifications to e that the RMDF to be procured will have the latest technology specifications or receivers, antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications Approval of and signature on the attached RMDF Technical Specifications Mathematical Specifications of R DECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications DATE: UPPROVE / DESATPROV DATE: UPPROVE / DESATPROV DATE: UPPROVE / DESATPROV Seconforme: Bidder's Company Name Signature of Authorized Representative <td></td> <td>FROM: ACS</td> <td>5 </td> <td></td> <td>/6171</td> <td></td>		FROM: ACS	5 		/6171	
a. OG2, PA approved Annual Procurement Plan (APP) FY 2022; b. Approved Technical Specifications for RMDF dated 22 Apr 22. 2. In references, the Technical Working Group (TWG) for the Radio Moni and Direction Finder (RMDF) System during the TWG conference in preparation fo Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewin technical specifications revised the previously approved technical specifications to e that the RMDF to be procured will have the latest technology specifically on receivers, antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specifications Genterme: Origon Procure: Bidder's Company Name Signature of Authorized Representative	SUMMARY:		1	`\		
 b. Approved Technical Specifications for RMDF dated 22 Apr 22. 2. In references, the Technical Working Group (TWG) for the Radio Moni and Direction Finder (RMDF) System during the TWG conference in preparation fo Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewin technical specifications revised the previously approved technical specifications to e that the RMDF to be procured will have the latest technology specifications of R receivers, antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specification Support Detector of and signature on the attached RMDF Technical Specification DATE: 9 JUL 2022 	1. Referer	ices:				
and Direction Finder (RMDF) System during the TWG conference in preparation for Procurement Conference for RMDF found out that some of the specifications are obsolete due to latest technology development. Hence, the TWG after reviewin technical specifications revised the previously approved technical specifications to et that the RMDF to be procured will have the latest technology specifications of R eceivers, antenna and direction finding processor. 3. G2 recommends approval of the revised Technical Specifications of R RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specification GALPON DEAPPROVED / DEAPPR						
RECOMMENDATION: 4. Approval of and signature on the attached RMDF Technical Specification Approval of and signature on the attached RMDF Technical Specification Approval of and signature on the attached RMDF Technical Specification Approval of and signature on the attached RMDF Technical Specification Approval of and signature on the attached RMDF Technical Specification Approval of and signature on the attached RMDF Technical Specification Brancher DATE: 9 JUL 2022 DATE: 9 JUL 2022 Bidder's Company Name Signature of Authorized Representative	and Direction Finder Procurement Conference obsolete due to late technical specification that the RMDF to b	(RMDF) Syste ence for RMD st technology ns revised the pe procured v	em during t F found ou developm previously vill have th	he TWG conference ut that some of the ent. Hence, the T approved technica ne latest technolo	ce in prepa e specificat WG after I specificati	ration for Pre- tions are now reviewing the ons to ensure
4. Approval of and signature on the attached RMDF Technical Specifical	3. G2 reco	ommends appr	roval of the	revised Technical	Specificati	ons of RMDF
Conforme: Bidder's Company Name Signature of Authorized Representative	RECOMMENDATIO	<u>N:</u>				
Bidder's Company Name Signature of Authorized Representative	4. Approva	al of and signa	ture on the	APPROV	echnical S	pecifications.
Bidder's Company Name Signature of Authorized Representative					A 1110	
Signature of Authorized Representative	<u> </u>				-	
RETRITION (17)5 2014 2015	PGs			-	_	
	Netritoriosa (2016 2016 2016 2016 2015	Signature o			LUDA005	
Designation I:HPAG2/PB/RMDF/			Designatio	on	V:HPAG2/F	'B/RMDF/18-07-

HEADQUARTERS PHILIPPINE ARMY OFFICE OF THE ASSISTANT CHIE:F OF STAFF FOR INTELLIGENCE, G2, PA Fort Andres Eonifacio, Metro Manila

TECHNICAL SPECIFICATIONS

Radio Monitoring Direction Finder (RMDF) System

General Requirements:

The Radio Monitoring Direction Finder System can search, intercept, detect and monitor, analyze and classify, demodulate, record, and decode and identify radio communication networks. It classifies, demodulate, and decodes signals and displays the results in real-time. The system also takes bearings on emitters and visualizes their locations on a digital map. Furthermore, it is possible to perform surveillance on known emitters and record digital audio.

Logistics Requirements:

A. Wideband Receiver and DF Processor Specifications (For Both Fixed and Mobile Stations)

1. Wideband Receive	er	
PARTICULARS	MINIMUM R	EQUIREMENTS
Frequency Coverage:	0.010000-821.999999, 85 ⁴ 896.000000-3000.000000	1.000000-866.999999,
Antenna Connector	Multiple (Type-N 50 ohms ohms – 0.01-30 MHz; RCA	– 0.01-3000 MHz; PL-259 50 50 ohms – 0.01-30 MHz)
Modes		FM, WFM, Digital ((D-STAR,
Number of Channels	At least 2000 regular chan	
Scan Types	Programmed, memory, mode, auto memory write,	selected memory, selected
	0.010-29.999 MHz	Direct sampling
	30.000499.999 MHz	Double superheterodyne (IF: 778.7, 46.35 MHz)
	500.000-1099.999 MHz	Double superheterodyne (IF: 278.7, 46.35 MHz)
Receiver System	1100.000–1499.999 MHz	Triple superheterodyne (IF: 900–500.000001, 278.7, 46.35 MHz)
	1500.000–3000.000 MHz	Triple superheterodyne (IF: 1000–500, 278.7, 46.35 MHz)
Selectivity	LSB/USB/FSK (BW: 2.4 KHz)	More than 2.4 kHz/–3 dB Less than 3.6 kHz/–60 dB
Gelectivity	CW (BW: 500 Hz)	More than 500 Hz/–3 dB Less than 700 Hz/–60 dB



Honor. Patriotism. Duty

Conforme:		
	Bidder's C	ompany Name
Signat	ure of Auth	orized Representative
	Des	ignation
		Date

	AM (BW: 6 kHz)	More than 6.0 kHz/–3 dB Less than 15.0 kHz/–60 dB
-	FM (BW: 15 kHz)	More than 12.0 kHz/-6 dB
		Less than 25.0 kHz/-60 dB
-	WFM	More than 180 kHz/–6 dB
Audio Output Power:	At least 2.0 watts (8 ohms	
Power Requirements:		with power supply unit for othe
	Voltages on DC)	
Over and Reverse Voltage Protection	Zenner Diode with resettal	ole fuse
Operating temperature range	At least -10 °C to +60 °C;	14 °F to 140 °F
Dimension:	Not more than 9"x5"x10" (Width x Height x Depth)	(22.86cm x 12.7cm x 25.4cm
Weight:	Not more than 10lbs (4.53	ka)
2. Direction Finder (DF)		-3/
PARTICULARS		EQUIREMENTS
DF Technique	Single Channel Watson-W	
DF Processing	Software defined	
Frequency Coverage	Dependent on the Receive	er and DF Antenna
Bearing Accuracy	0.5º RMS	
Bearing Resolution:	0.1 ⁰	
Receiver Signal Interface	10.7 MHz IF (standard)	
Format	3.5-52.0 MHz (programma	ible)
IF Bandwidths:	6/15/30/200 kHz	
Bearing Integration:	35/50/80/160/200/275/400	
Track and Hold	At least 3 sec nominal hole	
Interface (to host computer)		Q, TCP for ctrl) IP embedde
	gateway for receiver, GPS	& compass
Power Requirements:	100V-240V AC, 50/60Hz (v	
	100V-240V AC, 50/60Hz (v Voltages on DC)	with power supply unit for othe
Over and Reverse Voltage Protection	100V-240V AC, 50/60Hz (Voltages on DC) Zenner Diode with resetta	with power supply unit for othe
Over and Reverse Voltage Protection Durability	100V-240V AC, 50/60Hz (Voltages on DC) Zenner Diode with resetta MILSTD-810	with power supply unit for othe
Over and Reverse Voltage Protection	100V-240V AC, 50/60Hz (Voltages on DC) Zenner Diode with resetta MILSTD-810	with power supply unit for othe

1. Fixed DF Antenna		
PARTICULARS	MINIMUM REQUIREMENTS	
DF Technique:	Single-channel 2-phase Adcock	
Frequency Coverage:	75-300/300-520 MHz	
Bearing Accuracy:	2° RMS (VHF)	
	2.5° RMS (UHF)	
Polarization:	Vertical	
Output Impedance:	50 ohms nominal	



Honor. Patriotism. Duty

Conforme:	

Bidder's Company Name

Signature of Authorized Representative

.

Designation

2 nd Order Intercept:	+25/+36 dBm typical (V/UHF; reference to derived sense input)	
3 rd Order Intercept:	+15/+25 dBm typical (V/UHF; reference to derived sense input)	
Power Requirements	At least 12-24 VDC	
Durability	MILSTD-810	
Dimensions:	Not more than 110"x16'x16' (279.4cmx40.64cmx40.64cm) (Less cables and mast)	
Weight:	Not more than 50lbs (22.7kgs) (including cables less mast)	
2. Mobile DF Antenna		
PARTICULARS	MINIMUM REQUIREMENTS	
DF Technique:	Single-channel 2-phase Adcock	
Frequency Coverage:	20-75/75-200/200-512/512-1,000 MHz	
Bearing Accuracy:	3º RMS (VHF) 5º RMS (UHF)	
Polarization:	Vertical	
Output Impedance:	50 ohms nominal	
2 nd Order Intercept:	+25 cBm (20-75 MHz) +40 cBm (75-200 MHz) +36 cBm (200-512 MHz) +25 cBm (512-1,000 MHz)	
3 rd Order Intercept:	+15 cBm (20-75 MHz) +25 cBm (75-200 MHz) +25 cBm (200-512 MHz) +12 cBm (512-1,000 MHz)	
Power Requirements	At least 12-24 VDC	
Durability	MILSTD-810	
Dimensions:	Not more than 27"x23"x23" (68.58cm x 58.42cm x 58.42cm) (Less cables)	
Weight:	Not more than 14lbs (6.35kgs) (Less cables)	

C. Workstation Specification for the Mobile RDF Stations

PARTICULARS	MINIMUM REQUIREMENTS	
Durability	MIL-STD-810G certified	
Display	At least 14" HD	
Battery	At least Up to 10hrs	
Processor	At least Intel Core i7	
RAM	At least 16GB	
Storage	At least 512GB	
Operating System	Windows 10 Pro	
Main Application	Radio Direction Mapping Software	



Honor. Patriotism. Duty

Conforme:

Bidder's Company Name

Signature of Authorized Representative

Designation

TEST AND ACCEPTANCE PROCEDURE

1. OBJECTIVES:

1.1. To determine the functional reliability of the RMDF.

1.2. To determine the stability of the RMDF when subjected to adverse field operational conditions.

1.3. To ascertain compliance to standards and specifications.

2. GUIDELINES:

2.1. The supplier shall ensure the completeness of the quantity of items stated in the contract.

2.2. Technical inspection and test shall be done on all RMDF systems.

2.3. Functional Test will be done to determine the functional performance of the RMDF.

2.4. Results obtained shall be recorded and evaluated to determine the compliance of the items to technical specifications and as basis for acceptance or rejection of the goods.

3. PROCEDURES:

3.1. COMPLETENESS INSPECTION:

The Technical Inspection and Acceptance Committee (TIAC) shall check the completeness of the systems delivered. All systems shall be accounted and properly packed with appropriate mark ngs.

3.2. TEST AND ACCEPTANCE TRIAL PROCEDURES:

The following test and trial procedures shall guide both the PA TIAC in ensuring that the equipment delivered are compliant with all technical specifications. These procedures shall be conducted after delivery of the system in the presence of both the Philippine Army and the Supplier or their duly designated representatives.

3.2.1. VISUAL INSPECTION:

3.2.1.1. FOR THE PACKAGING:

3.2.1.1.1. Purpose: This non-destructive test shall be performed to determine the overall workmanship, conformity to technical specifications of the packaging and its markings to ensure that the inspected item shall be free from defects and meet the requirements of the Philippine Army.

3.2.1.1.2. Procedures:

3.2.1.1.2.1. Visually check the packaging.

3.2.1.1.2.2. Inspect the presence and appropriateness of the

markings.

ings. 3.2.1.1.2.3. Inspect for signs of deterioration, condition of

3.2.1.1.2.3. Inspect for signs of deterioration, condition of handles, loose, missing, or incorrect positioned parts.

Honor. Patriotism. Duty

Bidder's Company Name

Signature of Authorized Representative

Designation

3.2.1.1.2.4. Check for the compliance of the packaging material using appropriate instruments that will precisely identify the composition of the materials. In the absence of facility or equipment, a certification or manufacturing test result shall be provided.

3.2.1.1.2.5. Record all observations.

3.2.1.1.3. Standards: The packaging shall be free from defects as stated in the Visual Inspection – Packaging - Procedures.

3.2.2. WEIGHT AND DIMENSIONAL INSPECTION:

- **3.2.2.1. Purpose:** This test shall be performed to determine compliance of the RDMF equipment to the provided weight and dimensional requirement in the technical specifications of the Philippine Army.
- 3.2.2.2. Procedures:
 - 3.2.2.2.1. Measurement of equipment through physical means.
 - 3.2.2.2.2. Record the weight and dimensions.

3.2.2.3. Standard: The RMDF equipment shall be free from defects as stated in the **Weight and Dimensional Inspection – Procedures.**

3.2.3. PERFORMANCE TESTS:

A series of tests shall be performed to ensure that the RMDF equipment will efficiently function and perform accordingly based on the established standards and specifications when subjected to various operational conditions.

3.2.3.1. HARDWARE SPECIFICATION:

3.2.3.1.1. Purpose: This test shall be performed to ascertain the compliance to the hardware components of the system which includes the Monitoring Systems, DF System, Antenna and Workstations.

3.2.3.1.2. Procedures:

3.2.3.1.2.1. Verify mechanical completeness of units (switches, indicators and displays are not bent or broken).

3.2.3.1.2.2. Power-up the Monitoring System, DF Processor and Operator Workstation/Computer and read the application software version and record.

3.2.3.1.2.3. Record all observations.

3.2.3.1.3. Standard: The RMDF equipment shall be free from defects as stated in the Hardware Specification – Procedures.

3.2.3.2. DIRECTION FINDING TEST:

3.2.3.2.1. Purpose: This test shall be performed to determine and verify proper detection and direction finding. The test is performed by injecting signal to the system and using a Direction of Arrival (DOA) simulator. The DOA simulator is built for simulating reception from a known direction.

P	Но
Contraction of the second s	

Honor. Patriotism. Duty

Conforme:
Bidder's Company Name
Signature of Authorized Representative
Designation
Date

By 2028, a world-class Army that is a source of national pride. Test equipment. Signal Generator DOA Simulator, 4 channels DF RFU - DF Controller 3.2.3.2.2. Procedures: 3.2.3.2.2.1. Ensure all devices are in working status. Verify that the following scan missions table is 3.2.3.2.2.2. empty and create new missions for following search table as following: Mission Start Stop Pass Fail Number Frequency Frequency 60 MHz 50 MHz 1 1850 MHz 2 175 MHz 3 285 MHz 295 MHz 4 315 MHz 325 MHz 5 875 MHz 885 MHz 6 1295 MHz 1305 MHz 7 2095 MHz 2105 MHz 2985 MHz 8 2995 MHz 3000 MHz 9 30 MHz 3.2.3.2.2.3. Activate following mission #1 to #9 while Signal Generator is OFF 3.2.3.2.2.4. Activate following mission #1 to #9 while Signal Generator is set to different frequency signal level and strength (dBm). 3.2.3.2.2.5. Record all observations. 3.2.3.2.2.6. This test shall be carried out simultaneously with the Monitoring and Recording Tests. 3.2.3.2.3. Standard: The RMDF equipment shall be free from defects as stated in the Direction Finding Test - Procedures. 3.2.3.3. MONITORING AND RECORDING TEST: 3.2.3.3.1. Purpose: This test shall be performed to ascertain the ability of the RMDF equipment to monitor, record and replay audio produced from fixed frequency transmissions. Test equipment. SIGNAL Generator _ COMINT RFU **COMINT** Computer Speakers & Operator Computer 3.2.3.3.2. Procedures: 3.2.3.3.2.1. Ensure all equipment are in working status. 3.2.3.3.2.2. Set the following mission: PGS (P) Honor. Patriotism. Duty Conforme: Bidder's Company Name Signature of Authorized Representative Designation Date

Procurement of 1 Lot for Radio Monitoring and Direction Finder

Mission#	Frequenc y (MHz)	Priority	MOD	Signal	BW	Pass	Fail
1	31.25	Medium	FM	1 KHz tone	12.5		
2	299.025	Medium	AM	1 KHz tone	25		
3	499.025	Medium	FM	White noise	50		
4	509.025	Medium	AM	1 KHz tone	100		
5	999.025	Medium	FM	White noise	200		

3.2.3.3.2.3.Set the signal generator based on the mission, frequency,
modulation, signal, and bandwidth. Monitor and record accuracy of the given mission.3.2.3.3.2.4.Record all observations.

3.2.3.3.3. Standard: The RMDF equipment shall be free from defects as stated in the Monitoring and Recording Test – Procedures.

4. Functional Testing Parameters and Procedures:

4.1 Functionality

4.1.1 Purpose: To determine if the system specifications and functionality of the RMDF and its interface on laptop.

4.1.2 Equipment Needed: Laptop

4.1.3 Procedures:

- 4.1.3.1 Switch on the RMDF
- 4.1.3.2 Check the RMDF equipment's general information
- 4.1.3.3 Perform RMDF equipment's test/operations.
- 4.1.3.4 Features in the functional test checklist must all be enabled
- A. Sensor Specifications (For Both Fixed and Mobile Stations)

PARTICULARS	MINIMUM REQUIREMENTS	Pass	Fail
DF Technique:	Single-channel Watson-Watt		
Frequency Coverage:	0.04-3,150MHz (subject to frequency limitations of attached DF antenna)		
RF Input Impedance:	50 ohms nominal		
IF Bandwidths:	6/15/30/200 kHz		
Audio Output Power:	1.5 watts into 8 ohms		
Audio Frequency Response:	250-3300 Hz nom. @-3 dB (measured at headset jack)		
Bearing Displays:	Real-time 360 ⁰ polar TFT and 31/2-digit numeric displays		
Bearing Accuracy:	0.5 ^o RMS (using 160 milli-second bearing integration)		



Honor Patriotism. Duty

Conforme:
Bidder's Company Name
Signature of Authorized Representative
Designation
Date

2

By 2028, a world-class Army that is a source of national pride.

Bearing	0.5%/0.1%	
Resolution:		
Bearing Integration:	35/50/80/160/200/275/400 ms	
Interface (to host computer)	data string includes embedded data from receiver, GPS, & compass	
Power	100V-240V AC, 50/60Hz (with power	
Requirements:	supply unit for other Voltages on DC)	
Over and Reverse Voltage Protection	Zener Diode with resettable fuse	
Operating Temp:	0°C to +50°C	
Storage Temp:	-20°C to +60°C	
Humidity:	0-95% (no condensation)	
Dimensions:	Not more than 7"x21"x15" (17.78cm x	
	53.34cm x 38.1cm)	
	(Width x Height x Length)	
Weight:	Not more than 15lb (6 80kg)	

B. Antenna Specification (For Both Fixed and Mobile Stations)

PARTICULARS	MINIMUM REQUIREMENTS	Pass	Fail
DF Technique:	Single-channel 2-phase Adcock		
Frequency Coverage:	20-75/75-200/200-512/512-1,000 MHz		
Bearing Accuracy:	3° RMS (VHF) 5° RMS (UHF)		
Polarization:	Vertical		
Output Impedance:	50 ohms nominal +25 dBm (20-75 MHz) +40 dBm (75-200 MHz) +36 dBm (200-512 MHz) +25 dBm (512-1,000 MHz)		
2 nd Order Intercept:	+15 dBm (20-75 MHz) +25 dBm (75-200 MHz) +25 dBm (200-512 MHz) +12 dBm (512-1,000 MHz)		1
3 rd Order Intercept:	11-16 VDC @440 mA		
Operating Temperature:	-40°C to +70°C		
Humidity:	0-100%		
Dimensions:	Not more than 27"x23"x23" (68.58cm x 58.42cm x 58.42cm) (Less cables)		
Weight:	Not more than 14lbs (6.35kgs) (Less Cables)		

C. Workstation Specification for the Mobile and Fixed RDF Stations

PARTICULARS Durability	MIL-STD-810G certified		
Display	At least 14" HD		

Honor. Patriotism. Duty

Conforme:

Bidder's Company Name

Signature of Authorized Representative

Designation

Date

P

Battery	At least Up to 10hrs		
Processor	At least Intel Core i7		
RAM	At least 16GB		
Storage	At least 512GB		
Operating System	Windows 10 Pro		

5. ACCEPTANCE AND REJECTION:

The supplier shall comply with all certifications and documentary requirements. Failure shall cause rejection.

Acceptability of goods shall be determined by using the parameters based on Visual Inspection, Weight and Dimensional Inspection, Performance Test and Functionality Test.

6. RESULT:

The result of the test based on the above criteria shall be the basis of the Philippine Army Technical Inspection and Acceptance Committee (PA-TIAC) in the acceptance or rejection of the goods/items. The RMDF tested shall manifest compliance to each of the parameters indicated in the technical specification.

Prepared by:

Noted by:

navion FERDINAND MARIANO MARC SON S TAAY C Captain / (MI)Lieutenant Colonel (MI) PA PA **TWG Technical Officer TWG** Chairperson Recommended by: Approved by: EDMUND PA UL R DELOS SANTOS ROMEO'S BRAWNER JR Colonel Lieutenant General GSC (MI) PA PA AC of S for Intelligence, G2, PA Commanding General Philippine Army P Honor. Patriotism. Duty Conforme: Bidder's Company Name Signature of Authorized Representative Designation Date

Annex 7

Omnibus Sworn Statement

REPUBLIC OF THE PHILIPPINES) CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. Select one, delete the other:

If a sole proprietorship: I am the sole proprietor or authorized representative of *[Name of Bidder]* with office address at *[address of Bidder]*;

If a partnership, corporation, cooperative, or joint venture: I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. Select one, delete the other:

If a sole proprietorship: As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

If a partnership, corporation, cooperative, or joint venture: I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;

- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;
- 5. *[Name of Bidder]* is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. Select one, delete the rest:

If a sole proprietorship: The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a partnership or cooperative: None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

If a corporation or joint venture: None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the following responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
 - a) Carefully examining all of the Bidding Documents;
 - b) Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c) Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d) Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through

misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of ___, 20___ at ____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

Annex 8

(Bidder's Company Letterhead)

WARRANTY UNDERTAKING

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

I/We, <u>(Name)</u>, <u>(Title/Capacity)</u>, the duly authorized representative of <u>(Company/Bidder)</u>, hereby commits that should we be awarded the contract, we will issue a Warranty Certificate in favor of the Philippine Army (PA) valid for at least one (1) year from date of final acceptance.

This Undertaking shall form part of the Technical Requirements for the aforesaid procurement project

Signature of Company Representative

Name & Designation

Annex 9

Bidder's Company Letterhead

CERTIFICATE OF REPLACEMENT FOR DEFECTIVE ITEMS

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

I/We, (Name), (Title/Capacity), the duly authorized representative of (Company/Bidder), hereby commits that should we be awarded the contract, we will replace all defective items within thirty (30) calendar days upon receipt of Notice of Defects from the Philippine Army.

This Certification shall form part of the Technical Requirements for the aforesaid procurement project.

Issued this _____day of _____ 2023 in _____, Philippines

Name of Company (Bidder)

Full Name of Authorized Representative

Address

Signature of Authorized Representative

Tel. No./Fax

E-mail Address

Annex 10-A

Bid Form for the Procurement of Goods [shall be submitted with the Bid]

BID FORM

Date: _____

Project Identification No.: _____

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* [description of theGoods] in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and otherbid modifications in accordance with the Price Schedules attached herewith and made part ofthis Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules, If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Scheduleof Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain bindingupon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner: Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of agentCurrencyCommission or gratuity

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bidyou may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of [name of the bidder] as evidenced by the attached [state the written authority].

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:		Legal capacity:		
	Signature:		Duly authorized	
	to sign the Bid for and behalf of:	Date:		

Annex 10-B

(Bidder's Company Letterhead)

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

Financial Bid Form

Description	041	ABC Price	Bidder's Proposal	
Description	Qty	Total Price	Total Price	
Fixed Site	•	50,400,000.00		
75-520MHz Fixed-Site Adcock Antenna	3			
RDF Receiver & Watson-Watt DF Bearing Processor	3			
DF Software (Network Version w/ 3 sites)	3			
Mapmaker Software	3			
GPS Nodel DGP-16HV	3			
Ruggedized Case	3			
Mobile RDF				
65-1000MHz Mobile Adcock DF Antenna	6			
RDF Receiver & Watson-Watt DF Bearing Processor	6			
DF Software (Stand Alone)	6			
Mapmaker Software	6			
GPS Nodel DGP-16HV	6			
Ruggedized Case	6			
TOTAL BID PRICE				
Total Bid Price (Amount in Words):				

BIDDER'S UNDERTAKING

I/We, the undersigned bidder, having examined the Bidding Documents including Bid Bulletins, as applicable, hereby OFFER to (supply/deliver/perform) the above-described items.

I/We undertake, if our bid is accepted, to deliver the items in accordance with the terms and conditions contained in the bid documents, including the posting of the required performance security within ten (10) calendar days from receipt of Notice of Award.

Until a formal contract/order confirmation is prepared and signed, this Bid is binding on us.

Note: If the particular column is not applicable indicate N/A.

Name of Company (in print)

Signature of Company Representative

Name & Designation (in print)

Annex 11 FORM NO. 1

(Bidder's Company Letterhead)

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

Price Schedule(s) For Goods Offered from Abroad

1	Name of Bi	dder			Invitation to f	o Bid ¹ Numb	er	Page
1	2	3	4	5	6	7	8	9
Item	Description	Country of origin	Qty	Unit price CIF port of entry (specify port) or CIP named place (specify border point or place of destination)	Total CIF or CIP price per item (col. 4 x 5)	Unit Price Delivered at Place (DAP)	Unit price Delivered Duty Paid (DDP)	Total Price

Note: If the particular column is not applicable indicate dash (-) or zero (0), as applicable.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

¹ If ADB, JICA and WB funded projects, use IFB.

Annex 11 FORM NO. 2

(Bidder's Company Letterhead)

PROCUREMENT OF 1 LOT FOR RADIO MONITORING AND DIRECTION FINDER FOR THE PHILIPPINE ARMY <u>BID REF NO. SIG PABAC3 022-22</u> Approved Budget Contract: Php50,400,000.00

Price Schedule(s) For Goods Offered From Within the Philippines

Name of Bidder	Invitation to Bid ² Number	Page
	of .	

1	2	3	4	5	6	7	8	9	10
Item	Descriptio n	Country of origin	Quantity	Unit price Exw per item	Transportati on and Insurance and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)
) or zero ((

Note: If the particular column is not applicable indicate **dash** (-) or zero (0), as applicable.

[signature]

[in the capacity of]

Duly authorized to sign Bid for and on behalf of _____

² If ADB, JICA and WB funded projects, use IFB.

